

Project A4 'Nano-Photonic Devices'

A4.2 'Nanostructured Organic Photodiodes' (U. Lemmer / H.-J. Eisler)

- [A4.2:1] J. Hetterich, G. Bastian, N.A. Gippius, S.G. Tikhodeev, G. von Plessen, and U. Lemmer, *Optimized design of plasmonic MSM photodetector*, IEEE J. Quantum Electron. **43**, 855 (2007)
- [A4.2:2] M. Punke, S. Valouch, S.W. Kettlitz, N. Christ, C. Gärtner, M. Gerken, and U. Lemmer, *Dynamic characterization of organic bulk heterojunction photodetectors*, Appl. Phys. Lett. **91**, 071118 (2007)
- [A4.2:3] S. Peters, Y. Sui, F. Glöckler, U. Lemmer, and M. Gerken, *Organic photodetectors for an integrated thin-film spectrometer*, Proc. SPIE **6765**, 676503 (2007)
- [A4.2:4] M. Punke, S. Valouch, S.W. Kettlitz, M. Gerken, and U. Lemmer, *Optical data link employing organic light-emitting diodes and organic photodiodes as optoelectronic components*, J. Lightwave Technol. **26**, 816 (2008)
- [A4.2:5] T. Rauch, M. Böberl, S.F. Tedde, J. Fürst, M.V. Kovalenko, G. Hesser, U. Lemmer, W. Heiss, and O. Hayden, *Near-Infrared Imaging with Quantum-Dot-Sensitized Organic Photodiodes*, Nature Photonics **3**, 332 (2009)
- [A4.2:6] N.S. Christ, S.W. Kettlitz, S. Valouch, S. Züfle, C. Gärtner, M. Punke, and U. Lemmer, *Nanosecond response of organic solar cells and photodetectors*, J. Appl. Phys. **105**, 104513 (2009)
- [A4.2:7] * M.D. Wissert, A. Schell, K.S. Ilin, M. Siegel, and H.-J. Eisler, *Nanoengineering and Characterization of Gold Dipole Nanoantennas with Enhanced Integrated Scattering Properties*, Nanotechnology **20**, 425203 (2009)
- [A4.2:8] S. Valouch, C.M. Ögün, S.W. Kettlitz, S. Züfle, N. Christ, and U. Lemmer, *Printed circuit board encapsulation and integration of high-speed polymer photodiodes*, Sensor Lett. **8**, 392 (2010)
- [A4.2:9] S. Züfle, N. Christ, S.W. Kettlitz, S. Valouch, and U. Lemmer, *Influence of temperature-dependent mobilities on the nanosecond response of organic solar cells and photodetectors*, Appl. Phys. Lett. **97**, 063306 (2010)
- [A4.2:10] * M.D. Wissert, K.S. Ilin, M. Siegel, U. Lemmer, and H.-J. Eisler, *Highly localized non-linear optical white-light response at nanorod ends from non-resonant excitation*, Nanoscale **2**, 1018 (2010)
- [A4.2:11] S.W. Kettlitz, S. Valouch, and U. Lemmer, *Organic solar cell degradation probed by the nanosecond photoresponse*, Appl. Phys. A **99**, 805 (2010)
- [A4.2:12] * M.D. Wissert, K.S. Ilin, M. Siegel, U. Lemmer, and H.-J. Eisler *Coupled nanoantenna plasmon resonance spectra from two-photon laser excitation*, Nano Lett. **10**, 4161 (2010)
- [A4.2:13] N. Christ, S.W. Kettlitz, S. Züfle, S. Valouch, and U. Lemmer, *Nanosecond response of organic solar cells and photodiodes: Role of trap states*, Phys. Rev. B **83**, 195211 (2011)
- [A4.2:14] M.D. Wissert, B. Rudat, U. Lemmer, and H.-J. Eisler, *Quantum Dots as single-photon sources: Antibunching via two-photon excitation*, Phys. Rev. B **83**, 113304 (2011)
- [A4.2:15] * M.D. Wissert, C. Moosmann, K.S. Ilin, M. Siegel, U. Lemmer, and H.-J. Eisler, *Gold nanoantenna resonance diagnostics via transversal particle plasmon luminescence*, Opt. Expr. **19**, 3686 (2011)
- [A4.2:16] ‡ S. Pichler, T. Rauch, R. Seyrkammer, M. Böberl, S.F. Tedde, J. Fürst, M.V. Kovalenko, U. Lemmer, O. Hayden, and W. Heiss, *Temperature dependent*

*photoresponse from colloidal PbS quantum dot sensitized inorganic/organic hybrid photodiodes, Appl. Phys. Lett. **98**, 053304 (2011)*

A4.4 'Active and Passive Nanowire Waveguides for Optical Signal Processing' (J. Leuthold, W. Freude)

- [A4.4:1] C. Koos, M. Fujii, C.G. Poulton, R. Steingrueber, J. Leuthold, and W. Freude, *FDTD-Modelling of Dispersive Nonlinear Ring Resonators: Accuracy Studies and Experiments*, IEEE J. Quantum Elect. **42**, 1215 (2006)
- [A4.4:2] * C.G. Poulton, C. Koos, M. Fujii, A. Pfrang, Th. Schimmel, J. Leuthold, and W. Freude, *Radiation modes and roughness loss in high index-contrast waveguides*, IEEE J. Sel. Top. Quant. Electron. **12**, 1306 (2006)
- [A4.4:3] M. Fujii, A. Maitra, C. Poulton, J. Leuthold, and W. Freude, *Non-reciprocal transmission and Schmitt trigger operation in strongly modulated asymmetric WBGs*, Opt. Express **14**, 12782 (2006)
- [A4.4:4] M. Fujii, C. Koos, C. Poulton, I. Sakagami, J. Leuthold, and W. Freude, *A simple and rigorous verification technique for nonlinear FDTD algorithm by optical parametric four-wave mixing*, Microwave and Optical Technol. Lett. **48**, 88 (2006)
- [A4.4:5] M. Fujii, C. Koos, C. Poulton, J. Leuthold, and W. Freude, *Nonlinear FDTD analysis and experimental validation of four-wave mixing in InGaAsP/InP racetrack micro-resonators*, IEEE Photon. Technol. Lett. **18**, 361 (2006)
- [A4.4:6] * T. Passow, S. Li, P. Feinäugle, T. Vallaitis, J. Leuthold, D. Litvinov, D. Gerthsen, and M. Hetterich, *Systematic investigation into the influence of growth conditions on InAs/GaAs quantum dot properties*, J. Appl. Phys. **102**, 073511 (2007)
- [A4.4:7] * D. Litvinov, H. Blank, R. Schneider, D. Gerthsen, T. Vallaitis, J. Leuthold, T. Passow, A. Grau, H. Kalt, C. Klingshirn, M. Hetterich, *Influence of InGaAs cap layers with different In concentration on the properties of InGaAs quantum dots*, J. Appl. Phys. **103**, 083532 (2008)
- [A4.4:8] C. Koos, L. Jacome, C. Poulton, J. Leuthold, and W. Freude, *Nonlinear silicon-on-insulator waveguides for all-optical signal processing*, Opt. Express **15**, 5976 (2007)
- [A4.4:9] C. Koos, C.G. Poulton, L. Zimmermann, L. Jacome, J. Leuthold, and W. Freude, *Ideal bend contour trajectories for single-mode operation of low-loss overmoded waveguides*, IEEE Photon. Technol. Lett. **19**, 819 (2007)
- [A4.4:10] C. Meuer, J. Kim, M. Laemmlin, S. Liebich, D. Bimberg, A. Capua, G. Eisenstein, R. Bonk, T. Vallaitis, J. Leuthold, A.R. Kovsh, and I.L. Krestnikov, *40 GHz small-signal cross-gain modulation in 1.3 μm quantum dot semiconductor optical amplifier*, Appl. Phys. Lett. **93**, 051110 (2008)
- [A4.4:11] T. Vallaitis, C. Koos, R. Bonk, W. Freude, M. Laemmlin, C. Meuer, D. Bimberg, and J. Leuthold, *Slow and fast dynamics of gain and phase in a quantum dot semiconductor optical amplifier*, Opt. Express **16**, 170 (2008)
- [A4.4:12] J.-M. Brosi, C. Koos, L.C. Andreani, M. Waldow, J. Leuthold, and W. Freude, *High-speed low-voltage electro-optic modulator with a polymer-infiltrated silicon photonic crystal waveguide*, Opt. Express **16**, 4177 (2008)
- [A4.4:13] J. Leuthold, W. Freude, J.-M. Brosi, R. Baets, P. Dumon, I. Biaggio, M.L. Scimeca, F. Diederich, B. Frank, and C. Koos, *Silicon Organic Hybrid Technology - A Platform for Practical Nonlinear Optics*, Proc. IEEE **97**, 1304 (2009)
- [A4.4:14] C. Koos, P. Vorreau, T. Vallaitis, P. Dumon, W. Bogaerts, R. Baets, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, W. Freude, and J. Leuthold, *All-optical high-speed signal processing with silicon-organic hybrid slot waveguides*, Nature Photon. **3**, 216 (2009)

- [A4.4:15] J. Wang, A. Maitra, W. Freude, and J. Leuthold, *Regenerative properties of interferometric all-optical DPSK wavelength converters*, Opt. Express **17**, 22639 (2009)
- [A4.4:16] T. Vallaitis, S. Bogatscher, L. Alloatti, P. Dumon, R. Baets, M.L. Scimeca, I. Biaggio, F. Diederich, C. Koos, W. Freude, and J. Leuthold, *Optical properties of highly nonlinear silicon-organic hybrid (SOH) waveguide geometries*, Opt. Express **17**, 17357 (2009)
- [A4.4:17] M. Fujii, W. Freude, and J. Leuthold, *Dispersion relation and loss of sub-wavelength confined mode of metal-dielectric-gap optical waveguides*, IEEE Photon. Technol. Lett. **21**, 362 (2009)
- [A4.4:18] P. Dumon, C. Koos, W. Freude, J. Leuthold, W. Bogaerts, and R. Baets, *Silicon-Organic Hybrid Devices for All-Optical Signal Processing*, Future Fab Intl. **30**, (2009)
- [A4.4:19] J. Leuthold, C. Koos, and W. Freude, *Nonlinear silicon photonics*, Nature Photon. **4**, 535 (2010)
- [A4.4:20] T. Vallaitis, R. Bonk, J. Guetlein, D. Hillerkuss, J. Li, R. Brenot, F. Lelarge, G.H. Duan, W. Freude, and J. Leuthold, *Quantum dot SOA input power dynamic range improvement for differential-phase encoded signals*, Opt. Express **18**, 6270 (2010)
- [A4.4:21] S. Sygletos, R. Bonk, T. Vallaitis, A. Marculescu, P. Vorreau, J. Li, R. Brenot, F. Lelarge, G.-H. Duan, W. Freude, and J. Leuthold, *Filter Assisted Wavelength Conversion With Quantum-Dot SOAs*, J. Lightw. Technol. **28**, 882 (2010)
- [A4.4:22] A. Melikyan, N. Lindenmann, S. Walheim, P.M. Leufke, S. Ulrich, J. Ye, P. Vincze, H. Hahn, Th. Schimmel, C. Koos, W. Freude, and J. Leuthold, **Surface plasmon polariton absorption modulator**, Optics Express **19**, 8855 (2011)
- [A4.4:23] T. Alasaarela, D. Korn, L. Alloatti, A. Säynätjoki, A. Tervonen, R. Palmer, J. Leuthold, W. Freude, and S. Honkanen, *Reduced propagation loss in silicon strip and slot waveguides coated by atomic layer deposition*, Optics Express **19**, 11529 (2011)
- [A4.4:24] L. Alloatti, D. Korn, R. Palmer, D. Hillerkuss, J. Li, A. Barklund, R. Dinu, J. Wieland, M. Fournier, J. Fedeli, H. Yu, W. Bogaerts, P. Dumon, R. Baets, C. Koos, W. Freude, and J. Leuthold, *42.7 Gbit/s electro-optic modulator in silicon technology*, Optics Express **19**, 11841(2011)
- [A4.4:25] J. Li, K. Worms, R. Maestle, D. Hillerkuss, W. Freude, and J. Leuthold, *Free-space optical delay interferometer with tunable delay and phase*, Opt. Express **19**, 11654 (2011)

A4.6 'Metallic Nanostructures by Nanocontact Printing and Templating: Antennas and Receivers (T. Schimmel)

- [A4.6:1] * ‡ Ch. Poulton, Ch. Koos, M. Fujii, A. Pfrang, Th. Schimmel, J. Leuthold, and W. Freude, *Radiation modes and roughness loss in high index-contrast waveguides*, IEEE J. Sel. Top. Quant. Electron. **12**, 1306 (2006)
- [A4.6:2] J. López Gejo, N. Manoj, S. Sumalekshmy, H. Gliemann, Th. Schimmel, M. Wörner, and A.M. Braun, *Vacuum-ultraviolet photochemically initiated modification of polystyrene surfaces: morphological changes and mechanistic investigations*, Photochem. Photobiol. Sci. **5**, 948 (2006)
- [A4.6:3] * H. Gliemann, Y. Mei, M. Ballauff, and Th. Schimmel, *Adhesion of spherical polyelectrolyte brushes on mica: an in situ AFM investigation*, Langmuir **22**, 7254 (2006)
- [A4.6:4] * ‡ S.M. Pancera, H. Gliemann, Th. Schimmel, and D.F.S. Petri, *Effect of pH on the adsorption and activity of creatine phosphokinase*, J. Phys. Chem. B **110**, 2674 (2006)
- [A4.6:5] * ‡ S.M. Pancera, H. Gliemann, Th. Schimmel, and D.F.S. Petri, *Adsorption behaviour and activity of hexokinase*, J. Colloid Interface Sci. **302**, 417 (2006)
- [A4.6:6] * V. De Pauw, A. Collin, W. Send, J. Hawecker, D. Gerthsen, A. Pfrang, and Th. Schimmel, *Development of texture and deposition rates during the early stages of pyrolytic carbon deposition in a hot-wall reactor*, Carbon **44**, 3091 (2006)
- [A4.6:7] * F. Henrich, R. Krupke, K. Arnold, J.A.R. Stütz, S. Lebedkin, Th. Koch, Th. Schimmel, and M. Kappes, *The mechanism of cavitation-induced scission of single-walled carbon nanotubes*, J. Phys. Chem. B **111**, 1932 (2007)
- [A4.6:8] ‡ B.J. Mullins, A. Pfrang, R.D. Braddock, Th. Schimmel, and G. Kaspers, *Detachment of liquid droplets from fibres – experimental and theoretical evaluation of detachment force due to interfacial tension effects*, J. Colloid Interface Sci. **312**, 333 (2007)
- [A4.6:9] ‡ V. Zdravkov, A. Sidorenko, A. Rossolenko, V. Ryazanov, I. Bdikin, O. Krömer, E. Nold, Th. Koch, and Th. Schimmel, *Reliable preparation of high-quality superconducting thin MgB₂ films for application*, J. Phys.: Conf. Ser. **61**, 606 (2007)
- [A4.6:10] A. Pfrang, K. Schladitz, A. Wiegmann, and Th. Schimmel, *Calculation of the evolution of surface area and free volume during the infiltration of fiber felts*, Chem. Vap. Deposition **13**, 705 (2007)
- [A4.6:11] * N. Deyneka-Dupriez, U. Herr, H.-J. Fecht, A. Pfrang, Th. Schimmel, B. Reznik, and D. Gerthsen, *Interfacial adhesion and friction of pyrolytic carbon thin films on silicon substrates*, Journal of Materials Research **23**, 2749 (2008)
- [A4.6:12] T. Geldhauser, P. Leiderer, J. Boneberg, S. Walheim, and Th. Schimmel, *Generation of Surface Energy Patterns by Pulsed Laser Interference Lithography on Self-Assembled Monolayers*, Langmuir **24**, 13155 (2008)
- [A4.6:13] * S. Kalinina, H. Gliemann, M. Lopez-Garcia, A. Petershans, J. Auernheimer, Th. Schimmel, M. Bruns, A. Schambony, H. Kessler, and D. Wedlich, *Isothiocyanate-functionalized RGD peptides for tailoring cell-adhesive surface patterns*, Biomaterials **29**, 3004 (2008)
- [A4.6:14] S. Antebboth, A. Brückner-Foit, M.J. Hoffmann, U. Sutter, Th. Schimmel, and M. Müller, *Electromechanical behaviour of PZT with real domain structure*, Computational Materials Science **41**, 420 (2008)
- [A4.6:15] * M. Smetanin, R.N. Viswanath, D. Kramer, D. Beckmann, Th. Koch, L.A. Kibler, D.M. Kolb, and J. Weissmüller, *Surface stress-charge response of a (111)-*

textured gold electrode under conditions of weak ion adsorption, Langmuir **24**, 8561 (2008)

- [A4.6:16] * ‡ S. Zhong, Th. Koch, M. Wang, T. Scherer, S. Walheim, H. Hahn, and Th. Schimmel, *Nanoscale Twinned Copper Nanowire Formation by Direct Electrodeposition*, Small **5**, 2265 (2009)
- [A4.6:17] * B. Schmidt-Hansberg, M.F.G. Klein, K. Peters, F. Buss, J. Pfeifer, S. Walheim, A. Colsmann, U. Lemmer, P. Scharfer, and W. Schabel, *In situ monitoring the drying kinetics of knife coated polymer-fullerene films for organic solar cells*, J. Appl. Phys. **106**, 124501 (2009)
- [A4.6:18] * N. Mechau, R. Groeger, A. Prodi-Schwab, and R. Schmechel, *Reduced conductivity in poly(3,4-ethylenedioxythiophen)-poly(styrene sulfonate) and indium tin oxide nanocomposite for low indium tin oxide content*, J. Appl. Phys. **105**, 054318 (2009)
- [A4.6:19] * S. Walheim, M. Barczewski, M. Mayor, A. Blaszczyk, Th. Schimmel: *Verfahren zur Herstellung einer metallorganischen Schicht, mit diesem Verfahren hergestellte metallorganische Schichten und deren Verwendung*, Patent DE-OS 10 2005025693 (2009) und PCT/EP2006/004704 Patent Granted (2009)
- [A4.6:20] L. Pitta Bauermann, P. Gerstel, J. Bill, S. Walheim, Ch. Huang, J. Pfeifer, and Th. Schimmel, *Templated Self-Assembly of ZnO Films on Monolayer Patterns with Nanoscale Resolution*, Langmuir **26**, 3774 (2010)
- [A4.6:21] A. Pfrang, Y.-Z. Wan, and Th. Schimmel, *Early stages of the chemical vapor deposition of pyrolytic carbon investigated by atomic force microscopy*, Carbon **48**, 921 (2010)
- [A4.6:22] T. Geldhauser, S. Walheim, Th. Schimmel, P. Leiderer, and J. Boneberg, *Influence of the Relative Humidity on the Demixing of Polymer Blends on Prepatterned Substrates*, Macromolecules **43**, 1124 (2010)
- [A4.6:23] * ‡ M. Barczewski, S. Walheim, T. Heiler, A. Blaszczyk, M. Mayor, and Th. Schimmel, *High Aspect Ratio Constructive Nanolithography with a Photo-Dimerizable Molecule*, Langmuir **26**, 3623 (2010)
- [A4.6:24] F.Z. Zhang, S. Walheim, Th. Schimmel, and O. Marti, *New laser apparatus to measure oscillation amplitude down to picometer at megahertz frequencies*, Rev. Sci. Instrum. **81**, 035116 (2010)
- [A4.6:25] * S. Lenhert, F. Brinkmann, T. Laue, S. Walheim, Ch. Vannahme, S. Klinkhammer, M. Xu, S. Sekula, T. Mappes, Th. Schimmel, and H. Fuchs, *Lipid multilayer gratings*, Nature Nanotechnol. **5**, 275 (2010)
- [A4.6:26] W. Barthlott, Th. Schimmel, S. Wiersch, K. Koch, M. Brede, M. Barczewski, S. Walheim, A. Weis, A. Kaltenmaier, A. Leder, and H.F. Bohn, *The Salvinia Paradox: Superhydrophobic Surfaces with Hydrophilic Pins for Air Retention under Water*, Adv. Mater. **22**, 2325 (2010)
- [A4.6:27] * ‡ S. Montero-Pancera, V. Trouillet, A. Petershans, D. Fichtner, A. Lyapin, M. Bruns, Th. Schimmel, D. Wedlich, S. Reichlmaier, P.G. Weidler, and H. Gliemann, *Design of Chemically Activated Polymer Microwells by One-Step UV-Lithography for Stem Cell Adhesion*, Langmuir **26**, 2050 (2010)
- [A4.6:28] ‡ S. Zhong, P. Dupeyrat, R. Groeger, M. Wang, Th. Koch, and Th. Schimmel, *Periodical Nanostructured Multiline Copper Films Self-Organized by Electrodeposition: Structure and Properties*, J. Nanoscience Nanotechnol. **10**, 6144 (2010)

- [A4.6:29] * A. Melikyan, T. Vallaitis, N. Lindenmann, Th. Schimmel, W. Freude, and J. Leuthold, *A surface plasmon polariton absorption modulator*, Conf. on Lasers and Electro-Optics (CLEO/IQEC'10), Paper JThE77, (2010)
- [A4.6:30] * R. Schuber, M.M.C. Chou, P. Vincze, Th. Schimmel, and D. Schaadt, *Growth of A-plane GaN on (010) LiGaO₂ by plasma-assisted MBE*, J. Cryst. Growth **312**, 1665 (2010)
- [A4.6:31] * Th. Schimmel, S. Pancera-Montero, H. Gliemann: *Method for structuring a layer onto a substrate*, Patent EP 1959298B1 Patent Granted (2010)
- [A4.6:32] S. Walheim, R. Gröger, Th. Schimmel: *Dye for Micro-Contact Printing*, Patent EP 2150854A1 (2010) und US 02010 01007907A1 Patent Granted (2010)
- [A4.6:33] * M. Helfrich, D.Z. Hu, J. Hendrickson, M. Gehl, D. Rülke, R. Gröger, D. Litvinov, S. Linden, M. Wegener, D. Gerthsen, Th. Schimmel, M. Hetterich, H. Kalt, G. Khitrova, H.M. Gibbs and D.M. Schaadt, *Growth and annealing of InAs quantum dots on pre-structured GaAs substrates*, J. Cryst. Growth **323**, 187 (2011)
- [A4.6:34] T. Scherer, S. Zhong, and Th. Schimmel, *Tensile Testing of Microstructures*, Imaging and Microscopy **1**, 44 (2011)
- [A4.6:35] * M. Helfrich, R. Gröger, A. Förste, D. Litvinov, D. Gerthsen, Th. Schimmel, and D. M. Schaadt, *Investigation of pre-structured GaAs surfaces for subsequent site-selective InAs quantum dot growth*, Nanoscale Res. Lett. **6**, 211 (2011)
- [A4.6:36] * A. Melikyan, N. Lindenmann, S. Walheim, P.M. Leufke, S. Ulrich, J. Ye, P. Vincze, H. Hahn, Th. Schimmel, C. Koos, W. Freude, and J. Leuthold, *Surface plasmon polariton absorption modulator*, Optics Express **19**, 8855 (2011)
- [A4.6:37] * B. Schmidt-Hansberg, M. Baunach, J. Krenn, S. Walheim, U. Lemmer, P. Scharfer, and W. Schabel, *Spatially resolved drying kinetics of multi-component solution cast films for organic electronics*, Chem. Eng. Proc. **50**, 509 (2011)
- [A4.6:38] C. Obermair, A. Wagner, and Th. Schimmel, *The atomic force microscope as a mechano-electrochemical pen*, Beilstein J. Nanotechnol. **2**, 659 (2011)