

### C1.3 (H. Schnöckel)

- [C1.3:1] J. Vollet, K. Baranowska, J.R. Hartig, and H. Schnöckel, *The anion  $[Mg_6Cl_8Cp^*]^-$ : A final intermediate on the way to a molecular donor-free Grignard compound  $MgClCp^*$ ?*, *Organometallics* **25**, 2101 (2006)
- [C1.3:2] ‡ O.N. Bakharev, D. Bono, H.B. Brom, A. Schnepf, H. Schnöckel, and L.J. de Jongh, *Superconductivity in a Molecular Metal Cluster Compound*, *Phys. Rev. Lett.* **96**, 117002 (2006)
- [C1.3:3] J. Steiner and H. Schnöckel, *A Second Metalloid  $Ga_{18}$  Cluster and its Topological Similarity to the High Pressure  $Ga(II)$  Modification*, *Chem. Eur. J.* **12**, 5429 (2006)
- [C1.3:4] ‡ D. Bono, A. Schnepf, J. Hartig, A. Schnöckel, G. J. Nieuwenhuys, A. Amato, and L.J. de Jongh, *Muon spin relaxation studies of superconductivity in a crystalline array of weakly coupled metal nanoparticles*, *Phys. Rev. Lett.* **97**, 077601 (2006)
- [C1.3:5] J. Vollet, G. Stößer, and H. Schnöckel, *New structures of low valent Al hypersilanes: a negatively charged isomer with a closo- $Al_4Si$ -structure potentially indicates a new entry in polyhedral  $Al_mSi_n$ -frameworks*, *Inorg. Chim. Acta* **360**, 1298 (2007)
- [C1.3:6] J. Hartig, J. Steiner, A. Stößer, and H. Schnöckel, *Discussion on the Formation and Bonding in Three  $[Ga_8R_{10}]$  compounds: The Diversity in Classical Ga-Ga Bonds*, *Chem. Eur. J.* **13**, 4475 (2007)
- [C1.3:7] \* P. Yang, R. Köppe, T. Duan, J. Hartig, G. Hadiprono, B. Pilawa, I. Keilhauer, and H. Schnöckel,  *$Al(Al_3R_3)_2$  R = N(SiMe<sub>2</sub>Ph)<sub>2</sub>: Prototype of a Metalloid Al Clusters or a Sandwich-Stabilized Al Atom?*, *Angew. Chem.* **119**, 3650 (2007); *Angew. Chem. Int. Ed.* **46**, 3579 (2007)
- [C1.3:8] ‡ X. Li, A. Grubisic, S.T. Stokes, J. Cordes, G.F. Ganteför, K.H. Bowen, B. Kiran, M. Willis, P. Jena, R. Burgert, and H. Schnöckel, *Unexpected Stability of  $Al_4H_6$ : a Borane Analog?*, *Science* **315**, 356 (2007)
- [C1.3:9] J. Hartig, A. Stößer, P. Hauser, and H. Schnöckel, *A metalloid  $Ga_{23}[N(SiMe_3)_2]_{11}$ -Cluster: The Jellium Model Put To Test*, *Angew. Chem.* **119**, 1687 (2007); *Angew. Chem. Int. Ed.* **46**, 1658 (2007)
- [C1.3:10] ‡ J. Hartig, A. Schnepf, J. de Jongh, D. Bono, and H. Schnöckel, *Modellbetrachtungen zum Verständnis unerwarteter Eigenschaften der metalloiden Clusterverbindung  $[Ga_{84}(N(SiMe_3)_2)_{20}][Li_6Br_2(THF)_{20}] \cdot 2Toluol$* , *Z. Anorg. Allg. Chem.* **633**, 63 (2007)
- [C1.3:11] ‡ D. Bono, J. Hartig, M. Huber, H. Schnöckel, and L.J. de Jongh, *<sup>27</sup>Al NMR Study of the Metal Cluster Compound  $Al_{50}C_{120}H_{180}$* , *J. Cluster Science* **18**, 319 (2007)
- [C1.3:12] J. Hartig, F. Klöwer, J. Rinck, A. Unterreiner, and H. Schnöckel,  *$Ga_{24}Br_{18}Se_2$ : A highly symmetrical metalloid cluster and its one-dimensional arrangement in the crystalline state as a model for the photoconductivity of solid GaSe*, *Angew. Chem.* **119**, 6669 (2007); *Angew. Chem. Int. Ed.* **46**, 6549 (2007)
- [C1.3:13] ‡ D. Bono, O.N. Bakharev, A. Schnepf, J. Hartig, H. Schnöckel, and L.J. de Jongh, *Magnetization Studies of Superconductivity in a Molecular Metal Cluster Compound*, *Z. Anorg. Allg. Chem.* **633**, 2173 (2007)
- [C1.3:14] ‡ R. Burgert, H. Schnöckel, A. Grubisic, X. Li, S.T. Stokes, G.F. Ganteför, B. Kiran, P. Jena, and K.H. Bowen, *Spin-conservation accounts for aluminium cluster reactivity pattern with O<sub>2</sub>*, *Science* **319**, 438 (2008)
- [C1.3:15] M. Huber and H. Schnöckel,  *$Al_4(C_5Me_4H)_4$ : Structure, reactivity and bonding*, *Inorg. Chim. Acta* **361**, 457 (2008)

- [C1.3:16] H. Schnöckel, *Formation, structure and bonding of metalloid Al and Ga clusters. A challenge for chemical efforts in nanosciences*, Dalton Discussion 11: Renaissance of Main Group Elements, 23 - 25 June 2008, UC Berkeley, Dalton Trans. **33**, 4344 (2008)
- [C1.3:17] \* S. Domingo Köhler, B. Pilawa, D. Saez de Jauregui, G. Fischer, R. Grubba, R. Köppe, A. Schnepf, H. Schnöckel, and E. Dormann, *Magnetic resonance of the new neutral Al-cluster radical [Al<sub>7</sub>R<sub>6</sub>]*, Europhys. Lett. **82**, 37002 (2008)
- [C1.3:18] \* T. Pankewitz, W. Klopper, P. Henke, and H. Schnöckel, *Isomeric Al<sub>2</sub>R<sub>4</sub>, Mg<sub>2</sub>R<sub>2</sub> species and oligomerisation products: Investigation of Al-Al- and Mg-Mg-σ-bonding*, Eur. J. Inorg. Chem. **31**, 4879 (2008)
- [C1.3:19] ‡ P. Henke, M. Huber, J. Steiner, K. Bowen, B. Eichhorn, and H. Schnöckel, *Al<sub>4</sub>(P<sup>t</sup>Bu<sub>2</sub>)<sub>6</sub> – the first derivative of Al<sub>4</sub>H<sub>6</sub> - and other Al<sub>4</sub> species: A challenge for bonding interpretation between Zintl ions and metalloid clusters*, J. Am. Chem. Soc. **131**, 5698 (2009)
- [C1.3:20] \* M. Huber, A. Schnepf, C.E. Anson, and H. Schnöckel, *SiAl<sub>56</sub>R<sub>12</sub>: The largest Neutral Metalloid Aluminum Cluster, a Molecular Model for a Silicon-Poor Aluminum-Silicon Alloy?*, Angew. Chem. Int. Ed. **47**, 8201 (2008)
- [C1.3:21] R. Köppe, P. Henke, and H. Schnöckel, *MgCl and Mg<sub>2</sub>Cl<sub>2</sub>: From Theoretical and Thermodynamic Considerations to Spectroscopy and Chemistry of Species with Mg–Mg bonds*, Angew. Chem. Int. Ed. **47**, 8740 (2008)
- [C1.3:22] M. Neumaier, R. Köppe, and H. Schnöckel, *Primärschritte von Oxidationsprozessen an Metallatomclustern. Ein molekulares Modell für die Korrosion von Metallen?*, Nachrichten aus der Chemie **10**, 999 (2008)
- [C1.3:23] \* P. Henke, T. Pankewitz, W. Klopper, F. Breher, and H. Schnöckel, *Snapshots of the Al-Al sigma-Bond Formation Starting from {AlR<sub>2</sub>} Units: Experimental and Computational Observations*, Angew. Chem. Int. Ed. **48**, 8141 (2009)
- [C1.3:24] M. Huber, J. Hartig, K. Koch, and H. Schnöckel, *Si@Al<sub>14</sub>(N(Dipp)SiMe<sub>3</sub>)<sub>6</sub>: Ein Si-zentrierter metalloider Aluminiumcluster und ergänzende Untersuchungen zur Strukturproblematik des Si@Al<sub>14</sub>Cp<sub>6</sub><sup>\*</sup>-Clusters*, Z. Anorg. Allg. Chem. **635**, 423 (2009)
- [C1.3:25] M. Huber, P. Henke, and H. Schnöckel, *Experimentally Based DFT Calculations on the Hindered Disproportionation of [Al<sub>4</sub>Cp<sub>4</sub><sup>\*</sup>]: Formation of Metalloid Clusters as Intermediates on the Way to Solid Al Prevents the Decomposition of a Textbook Molecule*, Chem. Eur. J. **15**, 12180 (2009)
- [C1.3:26] P. Henke and H. Schnöckel, *Metastable Aluminum(I) Compounds: Experimental and Quantum Chemical Investigations on Aluminum(I) Phosphanides - An Alternative Channel to the Disproportionation Reaction?*, Chem. J. Eur. **15**, 13391 (2009)
- [C1.3:27] \* M. Olzmann, R. Burgert, and H. Schnöckel, *On the Kinetics of the Al<sub>13</sub><sup>-</sup> + Cl<sub>2</sub> Reaction: Cluster Degradation in Consecutive Steps*, J. Chem. Phys. **131**, 174304 (2009)
- [C1.3:28] ‡ T. Duan, P. Henke, G. Stoesser, Q.-F. Zhang, and H. Schnöckel, *Ga<sub>8</sub>Br<sub>8</sub>·6NEt<sub>3</sub>: Formation and structure of donor-stabilized GaBr. A nanoscaled step on the way to β-gallium?*, J. Am. Chem. Soc **132**, 1323 (2010)
- [C1.3:29] ‡ \* S.N. Konchenko, N.A. Pushkarevsky, M.T. Gamer, R. Köppe, H. Schnöckel, and P.W. Roesky, *[{(\eta<sup>5</sup>-C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>Sm}]<sub>4</sub>P<sub>8</sub>*: A Molecular Polyphosphide of the Rare-Earth Elements, J. Am. Chem. Soc. **131**, 5740 (2009)
- [C1.3:30] ‡ X. Li, A. Grubisic, S. Eustis, D. Wang, T. Lectka, G.F. Gantefoer, K.H. Bowen, R. Burgert, and H. Schnoeckel, *The reaction of aluminum cluster anions with*

*tetrakis(dimethylamino)ethylene (TDMAE): Insertion of an aluminum anion into a C-N bond*, Chem. Phys. Lett **481**, 190 (2009)

- [C1.3:31] ‡ A. Grubisic, X. Li, G. Ganteföer, K.H. Bowen, H. Schnöckel, F.J. Tenorio, and A. Martinez, *Reactivity of aluminum cluster anions with ammonia: Selective-etching of Al<sub>11</sub><sup>-</sup> and Al<sub>12</sub><sup>-</sup>*, J. Chem. Phys. **131**, 184305 (2009)
- [C1.3:32] ‡ A. Grubisic, X. Li, S.T. Stokes, K. Vetter, G.F. Ganterföer, K.H. Bowen, P. Jena, B. Kiran, R. Burgert, and H. Schnöckel, *Al<sub>13</sub>H<sup>-</sup>: Hydrogen atom site selectivity and the shell model*, J. Chem. Phys. **131**, 121103 (2009)
- [C1.3:33] H. Schnöckel, *Structures and properties of metalloid Al and Ga clusters open our eyes to the diversity and complexity of fundamental chemical and physical processes during formation and dissolution of metals*, Chem. Rev. **110**, 4125 (2010)
- [C1.3:34] \* P. Henke, N. Trapp, C.E. Anson, and H. Schnöckel, *Al<sub>12</sub>K<sub>8</sub>[OC(CH<sub>3</sub>)<sub>3</sub>]<sub>18</sub><sup>-</sup>: A Wade, Zintl or Metalloid Cluster, or a Hybrid of all Three?*, Angew. Chem. Int. Ed. **49**, 3146 (2010)
- [C1.3:35] ‡ H. Schnöckel, A. Schnepf, R.L. Whetten, C. Schenk, and P. Henke, *A Chemical View of the Giant Au<sub>102</sub>(SR)<sub>44</sub> (SR = P-Mercaptobenzoic Acid) Cluster: Metalloid Aluminum and Gallium Clusters as Path Making Examples of This Novel Type Open Our Eyes for Structure and Bonding of Metalloid Au<sub>n</sub>(SR)<sub>m</sub> (n > m) Clusters*, Z. Anorg. Allg. Chem. **637**, 15 (2011)
- [C1.3:36] \* C. Schenk, F. Henke, M. Neumaier, M. Olzmann, H. Schnöckel, and A. Schnepf, *Reactions of the Metalloid Cluster Anion {Ge<sub>9</sub>[Si(SiMe<sub>3</sub>)<sub>3</sub>]<sub>3</sub>}<sup>-</sup> in the Gas Phase. Oxidation- and Reduction-Steps give an Insight onto the Area between Metalloid Clusters and Zintl Ions*, Z. Anorg. Allg. Chem. **636**, 1173 (2010)