

### C3.3 (W. Klopper)

- [C3.3:1] H. Fliegl, C. Hättig, and W. Klopper, *Coupled-cluster response theory with linear- $r_{12}$  corrections: The CC2-R12 model for excitation energies*, J. Chem. Phys. **124**, 044112 (2006)
- [C3.3:2] \* C.E. Anson, W. Klopper, J.-S. Li, L. Ponikiewski, and A. Rothenberger, *A close look at short C-CH<sub>3</sub>...potassium contacts: Synthetic and theoretical investigations of [M<sub>2</sub>Co<sub>2</sub>(μ<sub>3</sub>-OtBu)<sub>2</sub>(μ<sub>2</sub>-OtBu)<sub>4</sub>(thf)<sub>n</sub>] (M = Na, K, Rb, thf = tetrahydrofuran)*, Chem. Eur. J. **12**, 2032 (2006)
- [C3.3:3] H. Fliegl, C. Hättig, and W. Klopper, *Inclusion of the (T) triples correction into the linear- $r_{12}$  corrected coupled-cluster model CCSD(R12)*, Int. J. Quantum Chem. **106**, 2306 (2006)
- [C3.3:4] ‡ H.-J. Himmel, O. Hübner, W. Klopper, and L. Manceron, *Cleavage of the N<sub>2</sub> triple bond by the Ti dimer: A route to molecular materials for dinitrogen activation?*, Angew. Chem. Int. Ed. **45**, 2799 (2006); *Spaltung der N<sub>2</sub>-Dreifachbindung durch Ti<sub>2</sub>: ein Weg zu molekularen Materialien für die N<sub>2</sub>-Aktivierung?*, Angew. Chem. **118**, 2865 (2006)
- [C3.3:5] ‡ H.-J. Himmel, O. Hübner, F.A. Bischoff, W. Klopper, and L. Manceron, *Reactivity of titanium dimer and molecular nitrogen in rare gas matrices. Vibrational and electronic spectra and structure of Ti<sub>2</sub>N<sub>2</sub>*, Phys. Chem. Chem. Phys. **8**, 2000 (2006)
- [C3.3:6] ‡ T. Helgaker, A.C. Hennum, and W. Klopper, *A second-quantization framework for the unified treatment of relativistic and nonrelativistic molecular perturbations by response theory*, J. Chem. Phys. **125**, 024102 (2006)
- [C3.3:7] ‡ W. Klopper, F.R. Manby, S. Ten-no, and E.F. Valeev, *R12 methods in explicitly correlated molecular electronic structure theory*, Int. Rev. Phys. Chem. **25**, 427 (2006)
- [C3.3:8] ‡ M. Heckert, M. Kállay, D.P. Tew, W. Klopper, and J. Gauss, *Basis-set extrapolation techniques for the accurate calculation of molecular equilibrium geometries using coupled-cluster theory*, J. Chem. Phys. **125**, 044108 (2006)
- [C3.3:9] H. Fliegl, A. Glöß, O. Welz, M. Olzmann, and W. Klopper, *Accurate computational determination of the binding energy of the SO<sub>3</sub>-H<sub>2</sub>O complex*, J. Chem. Phys. **125**, 054312 (2006)
- [C3.3:10] O. Hübner, M. Fichtner, and W. Klopper, *Comment on 'A theoretical study of nanoporous organic molecules for hydrogen storage' [Micropor. Mesopor. Mater. 89 (2006) 138]*, Micropor. Mesopor. Mater. **94**, 371 (2006)
- [C3.3:11] D.P. Tew and W. Klopper, *A comparison of linear and nonlinear correlation factors for basis set limit Møller-Plesset second order binding energies and structures of He<sub>2</sub>, Be<sub>2</sub> and Ne<sub>2</sub>*, J. Chem. Phys. **125**, 094302 (2006)
- [C3.3:12] M.K. Armbruster, W. Klopper, and F. Weigend, *Basis-set extensions for two-component spin-orbit treatments of heavy elements*, Phys. Chem. Chem. Phys. **8**, 4862 (2006)
- [C3.3:13] ‡ R.A. Bachorz, W. Klopper, and M. Gutowski, *Coupled-cluster and explicitly correlated perturbation-theory calculations of the uracil anion*, J. Chem. Phys. **126**, 085101 (2007)
- [C3.3:14] \* F.A. Bischoff, O. Hübner, W. Klopper, L. Schnelzer, B. Pilawa, M. Horvatić, and C. Berthier, *Density-functional calculation of the quadrupole splitting in the <sup>23</sup>Na NMR spectrum of the ferric wheel Na@Fe<sub>6</sub>(tea)<sub>6</sub><sup>+</sup> for various broken-symmetry states of the Heisenberg spin model*, Eur. Phys. J. B **55**, 229 (2007)

- [C3.3:15] O. Hübner and W. Klopper, *Interaction of dihydrogen with small and light molecules*, J. Phys. Chem. A **111**, 2426 (2007)
- [C3.3:16] ‡ D.P. Tew, W. Klopper, and T. Helgaker, *Electron correlation: The many-body problem at the heart of chemistry*, J. Comput. Chem. **28**, 1307 (2007)
- [C3.3:17] O. Hübner, K. Fink, and W. Klopper, *The spin coupling in the diiron complex [Fe<sub>2</sub>(hppta)(H<sub>2</sub>O)<sub>3</sub>Cl]*, Phys. Chem. Chem. Phys. **9**, 1911 (2007)
- [C3.3:18] ‡ D.P. Tew, W. Klopper, C. Neiss, and C. Hättig, *Quintuple- $\zeta$  coupled-cluster correlation energies with triple- $\zeta$  basis sets*, Phys. Chem. Chem. Phys. **9**, 1921 (2007)
- [C3.3:19] ‡ R. Leist, J.A. Frey, P. Ottiger, H.-M. Frey, S. Leutwyler, R.A. Bachorz, and W. Klopper, *Nucleobase-fluorobenzene interactions: Hydrogen bonding wins over  $\pi$ -stacking*, Angew. Chem. Int. Ed. **46**, 7449 (2007)
- [C3.3:20] ‡ D.P. Tew, W. Klopper, and F.R. Manby, *The weak orthogonality functional in explicitly correlated pair theories*, J. Chem. Phys. **127**, 174105 (2007)
- [C3.3:21] ‡ A.D. Boese, J.M.L. Martin, and W. Klopper, *Basis set limit coupled cluster study of H-bonded systems and assessment of more approximate methods*, J. Phys. Chem. A **111**, 11122 (2007)
- [C3.3:22] ‡ D.P. Tew, W. Klopper, M. Heckert, and J. Gauss, *Basis set limit CCSD(T) harmonic vibrational frequencies*, J. Phys. Chem. A **111**, 11242 (2007)
- [C3.3:23] T. Pankewitz and W. Klopper, *Ab initio modeling of methanol interaction with single-walled carbon nanotubes*, J. Phys. Chem. C **111**, 18917 (2007)
- [C3.3:24] ‡ E. Klontzas, A. Mavrandonakis, G.E. Froudakis, Y. Carissan, and W. Klopper, *Molecular hydrogen interaction with IRMOF-1: A multiscale theoretical study*, J. Phys. Chem. C **111**, 13635 (2007)
- [C3.3:25] A. Mavrandonakis and W. Klopper, *Comment on 'Kinetics and Mechanistic Model for Hydrogen Spillover on Bridged Metal-Organic Frameworks'*, J. Phys. Chem. C **112**, 3152 (2008)
- [C3.3:26] ‡ D.P. Tew, W. Klopper, and C. Hättig, *A diagonal orbital-invariant explicitly-correlated coupled-cluster method*, Chem. Phys. Lett. **452**, 326 (2008)
- [C3.3:27] ‡ M.K. Armbruster, F. Weigend, C. van Wüllen, and W. Klopper, *Self-consistent treatment of spin-orbit interactions with efficient Hartree-Fock and density functional methods*, Phys. Chem. Chem. Phys. **10**, 1748 (2008)
- [C3.3:28] T. Wedel, T. Gehring, J. Podlech, E. Kordel, A. Bihlmeier, and W. Klopper, *Nucleophilic additions to alkylidene bis(sulfoxides) – stereoelectronic effects in vinyl sulfoxides*, Chem. Eur. J. **14**, 4631 (2008)
- [C3.3:29] ‡ R.A. Bachorz, F.A. Bischoff, S. Höfener, W. Klopper, P. Ottiger, R. Leist, J.A. Frey, and S. Leutwyler, *Scope and limitations of the SCS-MP2 method for stacking and hydrogen bonding interactions*, Phys. Chem. Chem. Phys. **10**, 2758 (2008)
- [C3.3:30] S. Höfener, F.A. Bischoff, A. Glöß, and W. Klopper, *Slater-type geminals in explicitly-correlated perturbation theory: Application to n-alkanols and analysis of errors and basis-set requirements*, Phys. Chem. Chem. Phys. **10**, 3390 (2008)
- [C3.3:31] A. Mavrandonakis and W. Klopper, *First-principles study of single and multiple dihydrogen interaction with Li containing benzene molecules*, J. Phys. Chem. C **112**, 11580 (2008)
- [C3.3:32] ‡ R.A. Bachorz, W. Klopper, M. Gutowski, X. Li, and K.H. Bowen, *Photoelectron spectrum of valence anions of uracil and first-principles calculations of excess electron binding energies*, J. Chem. Phys. **129**, 054309 (2008)

- [C3.3:33] ‡ S.N. Eustis, D. Radisic, K.H. Bowen, R.A. Bachorz, M. Haranczyk, G.K. Schenter, and M. Gutowski, *Electron-Driven Acid-Base Chemistry: Proton Transfer from Hydrogen Chloride to Ammonia*, *Science* **319**, 936 (2008)
- [C3.3:34] F.A. Bischoff, S. Höfener, A. Glöß, and W. Klopper, *Explicitly-correlated second-order perturbation theory calculations on molecules containing heavy main-group elements*, *Theor. Chem. Acc.* **121**, 11 (2008)
- [C3.3:35] A. Bihlmeier, D.P. Tew, and W. Klopper, *Low energy hydrogenation products of extended  $\pi$  systems  $C_nH_{2x}$ : A DFT search strategy, benchmarked against CCSD(T) and applied to  $C_{60}$* , *J. Chem. Phys.* **129**, 114303 (2008)
- [C3.3:36] W. Klopper, D.P. Tew, N. González-García, and M. Olzmann, *Heat of formation of the  $HOSO_2$  radical from accurate quantum chemical calculations*, *J. Chem. Phys.* **129**, 114308 (2008)
- [C3.3:37] T. Pankewitz and W. Klopper, *Theoretical investigation of equilibrium and transition state structures, binding energies and barrier heights of water-encapsulated open-cage [59]fullerenone complexes*, *Chem. Phys. Lett.* **465**, 48 (2008)
- [C3.3:38] \* T. Pankewitz, W. Klopper, P. Henke, and H. Schnöckel, *Isomeric  $Al_4R_4$ ,  $Mg_2R_2$  species and oligomerisation products: Investigation of Al-Al and Mg-Mg  $\sigma$ -bonding*, *Eur. J. Inorg. Chem.* 4879 (2008)
- [C3.3:39] ‡ S. Taubert, D. Sundholm, J. Jusélius, W. Klopper, and H. Fliegl, *Calculation of magnetically induced currents in hydrocarbon nanorings*, *J. Phys. Chem. A* **112**, 13584 (2008)
- [C3.3:40] ‡ K.D. Vogiatzis, A. Mavrandonakis, W. Klopper, and G.E. Froudakis, *Ab initio study of the interactions between  $CO_2$  and N-containing organic heterocycles*, *ChemPhysChem* **10**, 374 (2009)
- [C3.3:41] A. Bihlmeier and W. Klopper, *Hydrides and dimers of  $C_{58}$  fullerenes: Structures and stabilities*, *Phys. Chem. Chem. Phys.* **11**, 1050 (2009)
- [C3.3:42] ‡ P. Ottinger, C. Pfaffen, R. Leist, S. Leutwyler, R.A. Bachorz, and W. Klopper, *Strong N-H... $\pi$  hydrogen bonding in amide-benzene interactions*, *J. Phys. Chem. B* **113**, 2937 (2009)
- [C3.3:43] \* D. Löffler, N. Bajales, M. Cudaj, P. Weis, S. Lebedkin, A. Bihlmeier, D.P. Tew, W. Klopper, A. Böttcher, and M.M. Kappes, *Non-IPR  $C_{60}$  solids*, *J. Chem. Phys.* **130**, 164705 (2009)
- [C3.3:44] \* H. Fliegl, K. Fink, W. Klopper, C.E. Anson, A.K. Powell, and R. Clérac, *Ab initio study of the magnetic exchange coupling constants of a structural model [ $CaMn_3^{III}Mn^{II}$ ] of the oxygen evolving center in photosystem II*, *Phys. Chem. Chem. Phys.* **11**, 3900 (2009)
- [C3.3:45] \* R. Abuhmaiera, Y. Lan, A.M. Ako, G.E. Kostakis, A. Mavrandonakis, W. Klopper, R. Clérac, C.E. Anson, and A.K. Powell, *One-dimensional Cu(II) coordination polymers: Tuning the structure by modulating the “carboxylate arm” lengths of polycarboxylate ligands*, *CrystEngComm* **11**, 1089 (2009)
- [C3.3:46] ‡ H. Fliegl, D. Sundholm, S. Taubert, J. Jusélius, and W. Klopper, *Magnetically induced current densities in aromatic, antiaromatic, homoaromatic, and nonaromatic hydrocarbons*, *J. Phys. Chem. A* **113**, 8668 (2009)
- [C3.3:47] \* P. Henke, T. Pankewitz, W. Klopper, F. Breher, and H. Schnöckel, *Snapshots of the AlAl- $\sigma$ -bond formation starting from  $\{AlR_2\}$  units: Experimental and computational observations*, *Angew. Chem. Int. Ed.* **48**, 8141 (2009); *Momentaufnahmen bei der Bildung einer AlAl- $\sigma$ -Bindung aus „AlR<sub>2</sub>“-Einheiten*.

*Experimentelle und quantenchemische Befunde*, Angew. Chem. **121**, 8285 (2009)

- [C3.3:48] \* G.E. Kostakis, A. Mavrandonakis, G. Abbas, W. Klopper, D. Schooss, S. Lebedkin, Y. Lan, and A.K. Powell, *An in-depth study on hydrogen-bonded 3-D frameworks possessing hydrophobic layers and hydrophilic pillars*, CrystEngComm **11**, 2480 (2009)
- [C3.3:49] ‡ I.S.K. Kerkines, I.D. Petsalakis, G. Theodorakopoulos, and W. Klopper, *Low-lying absorption and emission spectra of pyrene, 1,6-dithiapyrene, and tetrathiafulvalene: A comparison between ab initio and time-dependent density functional methods*, J. Chem. Phys. **131**, 224315 (2009)
- [C3.3:50] \* A. Eichhöfer, J. Olkowska-Oetzel, D. Fenske, K. Fink, V. Mereacre, A.K. Powell, and G. Buth, *Synthesis and structure of an “iron-doped” copper selenide cluster molecule: [Cu<sub>30</sub>Fe<sub>2</sub>Se<sub>6</sub>(SePh)<sub>24</sub>(dppm)<sub>4</sub>]*, Inorg. Chem. **48**, 8977 (2009)
- [C3.3:51] ‡ W. Klopper, R.A. Bachorz, D.P. Tew, and C. Hättig, *Sub-meV accuracy in first-principles computations of the ionization potentials and electron affinities of the atoms H to Ne*, Phys. Rev. A **81**, 022503 (2010)
- [C3.3:52] F.A. Bischoff and W. Klopper, *Second-order electron-correlation and self-consistent spin-orbit treatment of heavy molecules at the basis-set limit*, J. Chem. Phys. **132**, 094108 (2010)
- [C3.3:53] ‡ F.A. Bischoff, E.F. Valeev, W. Klopper, and C.L. Janssen, *Scalar relativistic explicitly correlated R12 methods*, J. Chem. Phys. **132**, 214104 (2010)
- [C3.3:54] ‡ C. Pfaffen, H.-M. Frey, P. Ottinger, S. Leutwyler, R.A. Bachorz, and W. Klopper, *Large-amplitude vibrations of an N-H...π hydrogen bonded cis-amide–benzene complex*, Phys. Chem. Chem. Phys. **12**, 8208 (2010)
- [C3.3:55] \*‡ V.A. Soloshonok, T. Ono, H. Ueki, N. Vanthuyne, T.S. Balaban, J. Bürck, H. Fliegl, W. Klopper, J.-V. Naubron, T.T.T. Bui, A.F. Drake, and C. Roussel, *Ridge-tile-like chiral topology: Synthesis, resolution, and complete chiroptical characterization of enantiomers of edge-sharing binuclear square planar complexes of Ni(II) bearing achiral ligands*, J. Am. Chem. Soc. **132**, 10477 (2010)
- [C3.3:56] \* D. Nied, R. Köppe, W. Klopper, H. Schnöckel, and F. Breher, *Synthesis of a pentasilapropellane: Exploring the nature of a stretched silicon-silicon bond in a nonclassical molecule*, J. Am. Chem. Soc. **132**, 10264 (2010)
- [C3.3:57] T. Pankewitz and W. Klopper, *Interaction of the alcohol molecules methanol and ethanol with single-walled carbon nanotubes – A computational study*, Chem. Phys. Lett. **498**, 345 (2010)
- [C3.3:58] \* S. Ay, R.E. Ziegert, H. Zhang, M. Nieger, K. Rissanen, K. Fink, A. Kubas, R.M. Gschwind, and S. Bräse, *NMR-spectroscopic and solid-state investigations of cometal-free asymmetric conjugate addition: A dinuclear paracyclophaneimine zinc methyl complex*, J. Am. Chem. Soc. **132**, 12899 (2010)
- [C3.3:59] ‡ Q.Y. Zhang, T. Pankewitz, S.M. Liu, W. Klopper, and L.B. Gan, *Switchable open-cage fullerene for water encapsulation*, Angew. Chem. Int. Ed. **49**, 9935 (2010)
- [C3.3:60] ‡ A.D. Boese, G. Jansen, M. Torheyden, S. Höfener, and W. Klopper, *Effects of counterpoise correction and basis set extrapolation on the MP2 geometries of hydrogen bonded dimers ammonia, water, and hydrogen fluoride*, Phys. Chem. Chem. Phys. **13**, 1230 (2011)
- [C3.3:61] ‡ K.D. Vogiatzis, E.C. Barnes, and W. Klopper, *Interference-corrected explicitly-correlated second-order perturbation theory*, Chem. Phys. Lett. **503**, 157 (2011)

- [C3.3:62] \* C. Schenk, A. Kracke, K. Fink, A. Kubas, W. Klopper, M. Neumaier, H. Schnöckel, and A. Schnepf, *The formal combination of three singlet biradicaloid entities to a singlet hexaradicaloid metalloid Ge<sub>14</sub>[Si(SiMe<sub>3</sub>)<sub>3</sub>]<sub>5</sub>[Li(THF)<sub>2</sub>]<sub>3</sub> cluster*, J. Am. Chem. Soc. **133**, 2518 (2011)
- [C3.3:63] \* M. Klipfel, C. Réthoré, T. Muller, S. Bräse, and W. Klopper, *Genetic algorithm density functional theory study of crown ether-dibenzylammonium [2]pseudorotaxanes*, Comput. Theor. Chem. **966**, 186 (2011)
- [C3.3:64] \* O. Hampe, T. Karpuschkin, M. Vonderach, P. Weis, Y.M. Yu, L.B. Gan, W. Klopper, and M.M. Kappes, *Heating a bowl of single-molecule-soup: Structure and desorption energetics of water-encapsulated open-cage [60]fullerenoid anions in the gas-phase*, Phys. Chem. Chem. Phys. **13**, 9818 (2011)
- [C3.3:65] ‡ R.A. Bachorz, F.A. Bischoff, A. Glöß, C. Hättig, S. Höfener, W. Klopper, and D.P. Tew, *The MP2-F12 method in the Turbomole program package*, J. Comput. Chem. **32**, 2492 (2011)
- [C3.3:66] ‡ W. Klopper, A.M. Teale, S. Coriani, T.B. Pedersen, and T. Helgaker, *Spin flipping in ring-coupled-cluster-doubles theory*, Chem. Phys. Lett. **510**, 147 (2011)
- [C3.3:67] A. Bihlmeier, *Derivatives and dimers of C<sub>50</sub>-D<sub>5h</sub> and C<sub>50</sub>-D<sub>3</sub>: A comparison of two closely related but quite differently behaving fullerenes*, J. Chem. Phys. **135**, 044310 (2011)
- [C3.3:68] ‡ A. Baldes, W. Klopper, J. Šimunek, J. Noga, and F. Weigend, *Acceleration of self-consistent-field convergence by combining conventional diagonalization and a diagonalization-free procedure*, J. Comput. Chem. **32**, 3129 (2011)
- [C3.3:69] K.D. Vogiatzis, W. Klopper, A. Mavrandonakis, and K. Fink, *Magnetic properties of paddlewheels and trinuclear clusters with exposed metal sites*, ChemPhysChem **12**, 3307 (2011)