

A4.4 (J. Leuthold / W. Freude)

- [A4.4:1] C. Koos, M. Fujii, C.G. Poulton, R. Steingrueber, J. Leuthold, and W. Freude, *FDTD-Modelling of Dispersive Nonlinear Ring Resonators: Accuracy Studies and Experiments*, [IEEE J. Quantum Elect. **42**, 1215 \(2006\)](#)
- [A4.4:2] * C.G. Poulton, C. Koos, M. Fujii, A. Pfrang, Th. Schimmel, J. Leuthold, and W. Freude, *Radiation modes and roughness loss in high index-contrast waveguides*, [IEEE J. Sel. Top. Quant. Electron. **12**, 1306 \(2006\)](#)
- [A4.4:3] M. Fujii, A. Maitra, C. Poulton, J. Leuthold, and W. Freude, *Non-reciprocal transmission and Schmitt trigger operation in strongly modulated asymmetric WBGs*, [Opt. Express **14**, 12782 \(2006\)](#)
- [A4.4:4] M. Fujii, C. Koos, C. Poulton, I. Sakagami, J. Leuthold, and W. Freude, *A simple and rigorous verification technique for nonlinear FDTD algorithm by optical parametric four-wave mixing*, [Microwave and Optical Technol. Lett. **48**, 88 \(2006\)](#)
- [A4.4:5] M. Fujii, C. Koos, C. Poulton, J. Leuthold, and W. Freude, *Nonlinear FDTD analysis and experimental validation of four-wave mixing in InGaAsP/InP racetrack micro-resonators*, [IEEE Photon. Technol. Lett. **18**, 361 \(2006\)](#)
- [A4.4:6] * T. Passow, S. Li, P. Feinäugle, T. Vallaitis, J. Leuthold, D. Litvinov, D. Gerthsen, and M. Hetterich, *Systematic investigation into the influence of growth conditions on InAs/GaAs quantum dot properties*, [J. Appl. Phys. **102**, 073511 \(2007\)](#)
- [A4.4:7] * D. Litvinov, H. Blank, R. Schneider, D. Gerthsen, T. Vallaitis, J. Leuthold, T. Passow, A. Grau, H. Kalt, C. Klingshirn, M. Hetterich, *Influence of InGaAs cap layers with different In concentration on the properties of InGaAs quantum dots*, [J. Appl. Phys. **103**, 083532 \(2008\)](#)
- [A4.4:8] C. Koos, L. Jacome, C. Poulton, J. Leuthold, and W. Freude, *Nonlinear silicon-on-insulator waveguides for all-optical signal processing*, [Opt. Express **15**, 5976 \(2007\)](#)
- [A4.4:9] C. Koos, C.G. Poulton, L. Zimmermann, L. Jacome, J. Leuthold, and W. Freude, *Ideal bend contour trajectories for single-mode operation of low-loss overmoded waveguides*, [IEEE Photon. Technol. Lett. **19**, 819 \(2007\)](#)
- [A4.4:10] C. Meuer, J. Kim, M. Laemmlin, S. Liebich, D. Bimberg, A. Capua, G. Eisenstein, R. Bonk, T. Vallaitis, J. Leuthold, A.R. Kovsh, and I.L. Krestnikov, *40 GHz small-signal cross-gain modulation in 1.3 μm quantum dot semiconductor optical amplifier*, [Appl. Phys. Lett. **93**, 051110 \(2008\)](#)
- [A4.4:11] T. Vallaitis, C. Koos, R. Bonk, W. Freude, M. Laemmlin, C. Meuer, D. Bimberg, and J. Leuthold, *Slow and fast dynamics of gain and phase in a quantum dot semiconductor optical amplifier*, [Opt. Express **16**, 170 \(2008\)](#)
- [A4.4:12] J.-M. Brosi, C. Koos, L.C. Andreani, M. Waldow, J. Leuthold, and W. Freude, *High-speed low-voltage electro-optic modulator with a polymer-infiltrated silicon photonic crystal waveguide*, [Opt. Express **16**, 4177 \(2008\)](#)
- [A4.4:13] J. Leuthold, W. Freude, J.-M. Brosi, R. Baets, P. Dumon, I. Biaggio, M.L. Scimeca, F. Diederich, B. Frank, and C. Koos, *Silicon Organic Hybrid Technology - A Platform for Practical Nonlinear Optics*, Proc. IEEE **97**, 1304 (2009)
- [A4.4:14] C. Koos, P. Vorreau, T. Vallaitis, P. Dumon, W. Bogaerts, R. Baets, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, W. Freude, and J. Leuthold, *All-optical high-speed signal processing with silicon-organic hybrid slot waveguides*, [Nature Photon. **3**, 216 \(2009\)](#)

- [A4.4:15] J. Wang, A. Maitra, W. Freude, and J. Leuthold, *Regenerative properties of interferometric all-optical DPSK wavelength converters*, [Opt. Express **17**, 22639 \(2009\)](#)
- [A4.4:16] T. Vallaitis, S. Bogatscher, L. Alloatti, P. Dumon, R. Baets, M.L. Scimeca, I. Biaggio, F. Diederich, C. Koos, W. Freude, and J. Leuthold, *Optical properties of highly nonlinear silicon-organic hybrid (SOH) waveguide geometries*, [Opt. Express **17**, 17357 \(2009\)](#)
- [A4.4:17] M. Fujii, W. Freude, and J. Leuthold, *Dispersion relation and loss of sub-wavelength confined mode of metal-dielectric-gap optical waveguides*, IEEE Photon. Technol. Lett. **21**, 362 (2009)
- [A4.4:18] P. Dumon, C. Koos, W. Freude, J. Leuthold, W. Bogaerts, and R. Baets, *Silicon-Organic Hybrid Devices for All-Optical Signal Processing*, Future Fab Intl. **30**, (2009)
- [A4.4:19] J. Leuthold, C. Koos, and W. Freude, *Nonlinear silicon photonics*, [Nature Photon. **4**, 535 \(2010\)](#)
- [A4.4:20] T. Vallaitis, R. Bonk, J. Guetlein, D. Hillerkuss, J. Li, R. Brenot, F. Lelarge, G.H. Duan, W. Freude, and J. Leuthold, *Quantum dot SOA input power dynamic range improvement for differential-phase encoded signals*, [Opt. Express **18**, 6270 \(2010\)](#)
- [A4.4:21] S. Sygletos, R. Bonk, T. Vallaitis, A. Marculescu, P. Vorreau, J. Li, R. Brenot, F. Lelarge, G.-H. Duan, W. Freude, and J. Leuthold, *Filter Assisted Wavelength Conversion With Quantum-Dot SOAs*, [J. Lightw. Technol. **28**, 882 \(2010\)](#)
- [A4.4:22] A. Melikyan, N. Lindenmann, S. Walheim, P.M. Leufke, S. Ulrich, J. Ye, P. Vincze, H. Hahn, Th. Schimmel, C. Koos, W. Freude, and J. Leuthold, *Surface plasmon polariton absorption modulator*, [Optics Express **19**, 8855 \(2011\)](#)
- [A4.4:23] T. Alasaarela, D. Korn, L. Alloatti, A. Säynätjoki, A. Tervonen, R. Palmer, J. Leuthold, W. Freude, and S. Honkanen, *Reduced propagation loss in silicon strip and slot waveguides coated by atomic layer deposition*, [Optics Express **19**, 11529 \(2011\)](#)
- [A4.4:24] L. Alloatti, D. Korn, R. Palmer, D. Hillerkuss, J. Li, A. Barklund, R. Dinu, J. Wieland, M. Fournier, J. Fedeli, H. Yu, W. Bogaerts, P. Dumon, R. Baets, C. Koos, W. Freude, and J. Leuthold, *42.7 Gbit/s electro-optic modulator in silicon technology*, [Optics Express **19**, 11841 \(2011\)](#)
- [A4.4:25] J. Li, K. Worms, R. Maestle, D. Hillerkuss, W. Freude, and J. Leuthold, *Free-space optical delay interferometer with tunable delay and phase*, [Opt. Express **19**, 11654 \(2011\)](#)
- [A4.4:26] L. Alloatti, D. Korn, C. Weimann, C. Koos, W. Freude, and J. Leuthold, *Second-order nonlinear silicon-organic hybrid waveguide*, [Opt. Express **20**, 20506 \(2012\)](#)
- [A4.4:27] ‡ R. Palmer, L. Alloatti, D. Korn, P. C. Schindler, R. Schmogrow, W. Heni, S. Koenig, J. Bolten, T. Wahlbrink, M. Waldow, H. Yu, W. Bogaerts, P. Verheyen, G. Lepage, M. Pantouvaki, J. Van Campenhout, P. Absil, R. Dinu, W. Freude, C. Koos, and J. Leuthold, *Silicon-Organic Hybrid MZI Modulator Generating OOK, BPSK and 8-ASK Signals for Up to 84 Gbit/s*, IEEE Photonics Journal **5**, 6600907 (2013)
- [A4.4:28] ‡ R. Palmer, L. Alloatti, D. Korn, P. C. Schindler, M. Baier, J. Bolten, T. Wahlbrink, M. Waldow, R. Dinu, W. Freude, C. Koos, and J. Leuthold, *Low Power Mach-Zehnder Modulator in Silicon-Organic Hybrid Technology*, IEEE Photonic Tech. Lett. **25**, 1226 (2013)

- [A4.4:29] R. Palmer, L. Alloatti, D. Korn, W. Heni, P.C. Schindler, J. Bolten, M. Karl, M. Waldow, T. Wahlbrink, W. Freude, C. Koos, and J. Leuthold, *Low-Loss Silicon Strip-to-Slot Mode Converters*, IEEE Photonics Journal **5**, 2200409 (2013)
- [A4.4:30] ‡ D. Korn, R. Palmer, H. Yu, P.C. Schindler, L. Alloatti, M. Baier, R. Schmogrow, W. Bogaerts, S. K. Selvaraja, G. Lepage, M. Pantouvaki, J.M. Wouters, P. Verheyen, J. Van Campenhout, B. Chen, R. Baets, P. Absil, R. Dinu, C. Koos, W. Freude, and J. Leuthold, *Silicon-organic hybrid (SOH) IQ modulator using the linear electro-optic effect for transmitting 16QAM at 112 Gbit/s*, Optics Express **21**, 13219 (2013).
- [A4.4:31] ‡ J. Leuthold, C. Koos, W. Freude, L. Alloatti, R. Palmer, D. Korn, J. Pfeifle, M. Laueremann, R. Dinu, S. Wehrli, M. Jazbinsek, P. Gunter, M. Waldow, T. Wahlbrink, J. Bolten, H. Kurz, M. Fournier, J.-M. Fedeli, H. Yu, and W. Bogaerts, *Silicon-organic hybrid electro-optical devices*, IEEE Journal of Selected Topics in Quantum Electronics **19**, 3401413 (2013).
- [A4.4:32] ‡ L. Alloatti, M. Laueremann, C. Sürgers, C. Koos, W. Freude, and J. Leuthold, *Optical absorption in silicon layers in the presence of charge inversion/accumulation or ion implantation*, Appl. Phys. Lett. **103**, 051104 (2013)

Invited Talks at International Conferences

- J. Leuthold, W. Freude, P. Vorreau, A. Marculescu, J. Wang, and G. Böttger, *All-optical signal processing for phase-sensitive modulation formats*, Proc. SPIE, **6353**, Asia-Pacific Optical Communications (APOC'06), Gwangju, Korea, Paper 635311, APOC 03, (2006) [invited tutorial]
- W. Freude, A. Maitra, J. Wang, C. Koos, C. Poulton, M. Fujii, and J. Leuthold, *All-optical signal processing with nonlinear resonant devices*, Proc. 8th Intern. Conf. on Transparent Optical Networks (ICTON'06), Nottingham, UK, (2006) [invited]
- W. Freude, C.G. Poulton, C. Koos, J. Brosi, M. Fujii, A. Pfrang, Th. Schimmel, M. Müller, and J. Leuthold, *Nanostrip and photonic crystal waveguides: The modelling of imperfections*, 15th International Workshop on Optical Waveguide Theory and Numerical Modelling (OWTNM'06), Varese, Italy, pp. 1–2 (2006) [invited]
- J. Leuthold, J. Wang, T. Vallaitis, C. Koos, R. Bonk, A. Marculescu, P. Vorreau, S. Sygletos, and W. Freude, *New approaches to perform all-optical signal regeneration*, Proc. 9th Intern. Conf. on Transparent Optical Networks (ICTON'07), Rome, Italy, We.D2.1 222-225 (2007)
- W. Freude, C. Koos, C.G. Poulton, M. Fujii, and J. Leuthold, *Minimizing roughness loss for ultracompactly bent high-index contrast waveguides*, Proc. 9th Intern. Conf. on Transparent Optical Networks (ICTON'07), Rome, Italy, We.C2.1 184-187 (2007)
- J. Leuthold and W. Freude, *Boosting Silicon-on-Insulator Technology beyond 100 Gb/s*, European Photonic Integration Forum – Photonics 21, Organized by ePIXnet; Brussels (2008)
- C. Koos, J.-M. Brosi, P. Vorreau, T. Vallaitis, P. Dumon, R. Baets, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, W. Freude, and J. Leuthold, *Silicon-Organic Hybrid (SOH) Devices for Optical Signal Processing*, in Proc. Frontiers in Optics 2008, Optical Society of America (OSA) Annual Meeting 2008, Rochester, USA, paper FMG6 (2008)
- W. Freude, J.-M. Brosi, C. Koos, P. Vorreau, L.C. Andreani, P. Dumon, R. Baets, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, and J. Leuthold, *Silicon-Organic Hybrid (SOH) Devices for Nonlinear Optical Signal Processing*, Proc. 10th International Conference on Transparent Optical Networks (ICTON'2008); Athens, Greece, paper Tu.C2.1 (2008)

- W. Freude, C. Koos, J.-M. Brosi, P. Vorreau, P. Dumon, R. Baets, B. Esembeson, I. Biaggio, T. Michinobu, F. Diederich, and J. Leuthold, *Silicon photonics: The impact of silicon-organic hybrid systems*, 9th Intern. Conf. on Fiber Optics & Photonics (Photonics'08), New Delhi, India (2008)
- J. Leuthold, W. Freude, J.-M. Brosi, R. Baets, P. Dumon, I. Biaggio, M.L. Scimeca, F. Diederich, B. Frank, and C. Koos, *Silicon Organic Hybrid Technology A Platform for Practical Nonlinear Optics*, Proc. IEEE, **97**, No. 7, pp. 1304-1316 (2009)
- W. Freude, C. Koos, T. Vallaitis, J.-M. Brosi, L. Alloatti, S. Bogatscher, P. Dumon, R. Baets, M.L. Scimeca, I. Biaggio, F. Diederich, and J. Leuthold, *Silicon-organic hybrid (SOH) photonics for ultra-fast optical signal processing*, The 22nd Annual Meeting of the IEEE Photonics Society (LEOS 2009), Belek-Antalya (Turkey), Paper WI 2 (2009) [invited]
- J. Leuthold, W. Freude, C. Koos, T. Vallaitis, J.-M. Brosi, S. Bogatscher, P. Dumon, R. Baets, M. L. Scimeca, I. Biaggio, and F. Diederich, *Silicon organic hybrid - A platform for ultrafast optics*, 35th European Conf. Opt. Commun. (ECOC'09), Vienna, Austria. Paper 5.2.4 (2009) [invited]
- J. Leuthold and W. Freude, *Silicon-Organic Hybrid (SOH) – A Platform for High-Speed Communications*, Proc. of 4th International Symposium on Ultrafast Photonic Technology 2009 (ISUPT 2009), Sendai, Japan, (2009) [invited]
- S. Sygletos, R. Bonk, T. Vallaitis, A. Marculescu, P. Vorreau, J. Li, R. Brenot, F. Lelarge, G. H. Duan, W. Freude, and J. Leuthold, *Optimum filtering schemes for performing wavelength conversion with QD-SOA*, Proc. 11th Intern. Conf. on Transparent Optical Networks (ICTON'09), Ponta Delgada, Island of São Miguel, Portugal, Paper Mo.C1.3, **1**, pp.1–4 (2009) [invited]
- W. Freude, L. Alloatti, T. Vallaitis, D. Korn, D. Hillerkuss, R. Bonk, R. Palmer, J. Li, T. Schellinger, M. Fournier, J. Fedeli, W. Bogaerts, P. Dumon, R. Baets, A. Barklund, R. Dinu, J. Wieland, and M. L. Scimeca, *High-speed signal processing with silicon-organic hybrid devices*, European Optical Society Annual Meeting (EOS'10), Parc Floral De Paris, France, (2010) [invited]
- W. Freude, J. Leuthold, L. Alloatti, T. Vallaitis, D. Korn, R. Palmer, C. Koos, J.-M. Brosi, P. Dumon, R. Baets, M. L. Scimeca, I. Biaggio, B. Breiten, F. Diederich, A. Barklund, R. Dinu, and J. Wieland, *100 Gbit/s electro-optic modulator and 56 Gbit/s wavelength converter for DQPSK data in silicon-organic hybrid (SOH) technology*, Proc. IEEE Photonics Society (formerly: Lasers and Electro-Optics Society) Summer Topicals 2010 "Novel Waveguiding, Structures and Phenomena", Playa del Carmen, Riviera Maya, Mexico, Paper WB2.1 (2010) [invited]
- W. Freude, R. Bonk, T. Vallaitis, A. Marculescu, A. Kapoor, E. K. Sharma, C. Meuer, D. Bimberg, R. Brenot, F. Lelarge, G.-H. Duan, and J. Leuthold, *Linear and nonlinear semiconductor optical amplifiers*, Proc. 12th Intern. Conf. on Transparent Optical Networks (ICTON'10), München, Germany, Paper We.D4.1 (2010) [invited]
- J. Leuthold, C. Koos, W. Freude, T. Vallaitis, L. Alloatti, D. Korn, P. Dumon, W. Bogaerts, R. Baets, I. Biaggio, and F. Diederich, *All-optical signal processing with silicon-organic hybrid slot waveguides*, OSA Integrated Photonics Research, Silicon and Nano Photonics (IPR), Monterey (CA), USA, Paper IWC1 (2010) [invited]
- W. Freude, T. Vallaitis, C. Koos, J.-M. Brosi, L. Alloatti, P. Dumon, R. Baets, M. L. Scimeca, I. Biaggio, B. Breiten, F. Diederich, and J. Leuthold, *Ultrafast silicon-organic hybrid (SOH) photonics*, Proc. Conf. on Lasers and Electro-Optics (CLEO/IQEC'10), San Jose (CA), Paper CThR1 (2010) [invited]
- J. Leuthold et al., *Nonlinear optics in telecommunication/regeneration of optical signals*, SPIE Photonics Europe, Nonlinear Optics and its Applications, Proc. of SPIE **7728**, Paper 7728-25 (2010) [invited]

W. Freude, R. Bonk, T. Vallaitis, A. Marculescu, A. Kapoor, C. Meuer, D. Bimberg, R. Brenot, F. Lelarge, G.-H. Duan, and J. Leuthold, *Semiconductor optical amplifiers (SOA) for linear and nonlinear applications*, DPG Spring Meeting, Deutsche Physikalische Gesellschaft, Regensburg, Paper DS 296 7.2 (2010) [invited]

J. Leuthold, R. Bonk, T. Vallaitis, A. Marculescu, W. Freude, C. Meuer, D. Bimberg, R. Brenot, F. Lelarge, and G.-H. Duan, *Linear and nonlinear semiconductor optical amplifiers*, Proc. Optical Fiber Communication Conference (OFC'10), San Diego (CA), USA, Paper OThI3 (2010) [invited]

J. Leuthold, *Silicon Organic Hybrid: A platform for future high-speed silicon photonics*, APS March Meeting 2010, **55**, Number 2, Abstract: A5.00002 (2010) [invited]

'Silicon-Organic Hybrid - a path towards active silicon photonic devices' ; Leuthold, J.; Koos, C.; Freude, W. Alloatti, L.; Palmer, R.; Korn, D.; Pfeifle, J.; Laueremann, M.; Proc. EOS Annual Meeting (EOSAM 2012), paper 6441, (2012)

Korn, D.; Alloatti, L.; Laueremann, M.; Pfeifle, J.; Palmer, R.; Schindler, P. C.; Freude, W.; Koos, C.; Leuthold, J.; et al.; ['Silicon organic hybrid fabrication platform for integrated circuits'](#); 14th Intern. Conf. on Transparent Optical Networks (ICTON'12), University of Warwick, Coventry, UK, (2012)

Leuthold, J.; Freude, W.; Koos, C.; *'Nonlinear optics in telecommunications'*; Proc. SPIE Photonics Europe; Nonlinear Optics and its Applications, Paper 8434-31, (2012)

Alloatti, L.; Korn, D.; Pfeifle, J.; Palmer, R.; Koos, C.; Freude, W.; Leuthold, J.; *'Silicon-organic hybrid devices'*; OPTO SPIE Photonics West (OPTO-SPIE'13), San Francisco (CA), USA, Feb. 2-7, paper 8629-24 , (2013)

J. Leuthold, C. Koos, W. Freude, L. Alloatti, R. Palmer, D. Korn, et al., "High-speed, low-power optical modulators in silicon," in 2013 15th International Conference on Transparent Optical Networks (ICTON), pp. 4 ff. (2013)