

### C1.1 (D. Fenske / A. Eichhöfer / O. Fuhr)

- [C1.1:1] \* P. Sevillano, O. Fuhr, M. Kattanek, P. Nava, O. Hampe, S. Lebedkin, R. Ahlrichs, D. Fenske, and M. Kappes, *Die phosphoranstabilisierten Gold-Arsen-Cluster  $[Au_{19}(AsnPr)_8(dppe)_6]Cl_3$ ,  $[Au_{10}(AsnPr)_4(dppe)_4]Cl_2$ ,  $[Au_{17}(AsnPr)_6(As_2nPr_2)(dppm)_6]Cl_3$  und  $[Au_{10}(AsPh)_4(dppe)_4]Cl_2$  – Synthese, Charakterisierung und DFT-Rechnungen*, Angew. Chem. **118**, 3785–3791 (2006); Angew. Chem. Int. Ed. **45**, 3702 (2006)
- [C1.1:2] S. Chitsaz, D. Fenske, and O. Fuhr, *Silberchalkogenidcluster mit Dimethylanilinmercapto-Liganden: Synthesen und Kristallstrukturen von  $[Ag_{65}S_{13}(SC_6H_4NMe_2)_{39}(dppm)_5]$ ,  $[Ag_{76}Se_{13}(SC_6H_4NMe_2)_{50}(PPh_3)_{6.5}]$  und  $[Ag_{88}Se_{12}(SC_6H_4NMe_2)_{63}(PPh_3)_6]$* , Angew. Chem. **118**, 8224–8228 (2006); Angew. Chemie. Int. Ed. **45**, 8055 (2006)
- [C1.1:3] O. Fuhr, L. Fernandez-Recio, and D. Fenske, *A simple synthetic route to the formation of tetracopper(I) 2-mercaptopthiazoline compounds – The crystal structures of  $[Cu_4(S-thiaz)_4(PEt_2Ph)_2]$ ,  $[Cu_4(S-thiaz)_4PEt_3)_2]$ ,  $[Cu_4(S-thiaz)_4]_4$ , and  $[Cu_4(S-thiaz)_4]_4$* , Can. J. Chem. **84**, 251 (2006)
- [C1.1:4] \* R. Ahlrichs, N.R.M. Crawford, A. Eichhöfer, D. Fenske, O. Hampe, M. Kappes, and J. Olkowska-Oetzel, *Synthesis and Structure of Two Ionic Copper Indium Selenolate Cluster Complexes  $[As(C_6H_5)_4]_2[Cu_6In_4(SeC_6H_5)_{16}Cl_4]$  and  $[As(C_6H_5)_4][Cu_7In_4(SeC_6H_5)_{20}]$* , Eur. J. Inorg. Chem. 345 (2006)
- [C1.1:5] \* R. Ahlrichs, D. Fenske, A. Rothenberger, C. Schrottd, and S. Wieber, *Atom Assignment in Solid-State Structures on the Basis of X-ray Crystallography and DFT Calculations – A Case Study on a Molecular Cu-Sb Alloy*, Eur. J. Inorg. Chem. 1127 (2006)
- [C1.1:6] ‡ Q.-F. Zhang, Z. Yu, J. Ding, Y. Song, A. Rothenberger, D. Fenske, and W.-H. Leung, *Construction of New Heteroselenometallic Clusters: Formation of Crownlike  $[Et_4N]_4(\mu_5\text{-WSe}_4)(CuI)_5(\mu\text{-I})_2$  and Octahedral Polymeric  $[(\mu_6\text{-WSe}_4)Cu_5I_4(py)_4]_n$  from Planar  $[Et_4N]_4[(\mu 4\text{-WSe}_4)Cu_4I_6]$  with Additional Faces*, Inorg. Chem. **45**, 5187 (2006)
- [C1.1:7] ‡ D.A. Bashirov, O. Fuhr, and S.N. Konchenko, *Synthesis and Structure of new Heteronuclear Clusters  $[PPh_4][Fe_4Rh_3Se_2(CO)_{16}]$  and  $[PPh_4]_2[Fe_3Rh_4Te_2(CO)_{15}]$* , Russ. Chem. Bull., Int. Ed. **55**, 802 (2006)
- [C1.1:8] P. Sevillano, O. Fuhr, E. Matern, and D. Fenske, *Synthese, Kristallstruktur und spektroskopische Charakterisierung von  $[Au_{12}(PPh)_2(P_2Ph_2)_2(dppm)_4Cl_2]Cl_2$* , Z. Anorg. Allg. Chem. **632**, 735 (2006)
- [C1.1:9] M. Shafeai-Fallah, W. Shi, D. Fenske, and A. Rothenberger, *Synthesen und Kristallstrukturen von Übergangsmetallkomplexen mit Dithiophosphinato- und Trithiophosphonator-Liganden*, Z. Anorg. Allg. Chem. **632**, 1091 (2006)
- [C1.1:10] \* R. Ahlrichs, A. Eichhöfer, D. Fenske, K. May, and H. Sommer, *Molekülstruktur und theoretische Untersuchungen von  $(PPh_4)_2[Bi_{10}Cu_{10}(SPh)_{24}]$* , Angew. Chem. **119**, 8402–8405 (2007); Angew. Chem. Int. Ed. **46**, 8254 (2007)
- [C1.1:11] D. Fenske, A. Rothenberger, and S. Wieber, *Synthesis and Characterization of the First Silver Complexes with Antimony Anions*, Eur. J. Inorg. Chem. 648 (2007)
- [C1.1:12] ‡ A. Eichhofer, P.T Wood, R. Viswanath, and R.A. Mole, *Synthesis, structure and magnetic behaviour of Manganese(II) selenolate complexes  $[\text{Mn}(\text{SePh})_2]$ ,  $[\text{Mn}(\text{SePh})_2(\text{bipy})_2]$  and  $[\text{Mn}(\text{SePh})_2(\text{phen})_2]$  (bipy = bipyridyl, phen = phenanthroline)*, Eur. J. Inorg. Chem. 4794 (2007)
- [C1.1:13] \* P. Sevillano, O. Fuhr, O. Hampe, S. Lebedkin, C. Neiss, R. Ahlrichs, D. Fenske, and M.M. Kappes, *Synthesis, characterization and quantum mechanical calculations of  $[Au_{18}Se_8(dppthph)_6]Cl_2$* , Eur. J. Inorg. Chem. 5163 (2007)

- [C1.1:14] \* P. Sevillano, O. Fuhr, O. Hampe, S. Lebedkin, E. Matern, D. Fenske, and M.M. Kappes, *Synthesis, Characterization and X-Ray Structure Determination of  $[Au_{18}(P)_2(PPh_3)_4(PHPh)(dppm)_6]Cl_3$* , Inorg. Chem. **46**, 7294 (2007)
- [C1.1:15] D. Fenske, I. Issac, and A. Rothenberger, *Towards Syntheses and Structures of Heterometallic Clusters Containing Tantalum-tetrachalcogenato Building Blocks*, J. Cluster Science **18**, 19 (2007)
- [C1.1:16] ‡ C. Nitschke, A.I. Wallbank, D. Fenske, and J.F. Corrigan, *Facile Synthesis of High Nuclearity Silver-Ferrocenyldiselenolate Clusters*, J. Cluster Science **18**, 131 (2007)
- [C1.1:17] ‡ D. Cave, J.F. Corrigan, A. Eichhöfer, D. Fenske, C.M. Kowalchuk, H. Rösner and P. Scheer, *Investigation of the Thermal Properties of a Series of Copper Selenide Cluster Molecules*, J. Cluster Science **18**, 157 (2007)
- [C1.1:18] ‡ O. Fuhr, L. Fernandez-Rezio, A. Castiñeras, and D. Fenske, *Synthese und Struktur der Cluster  $[Cu_{50}Se_{24}(S\text{-thiaz})_2(dppm)_{10}]$  und  $[Cu_{48}Se_{24})S\text{-thiazH}_2(dppm)_{10}]$* , Z. Anorg. Allg. Chem. **633**, 700 (2007)
- [C1.1:19] \* S. König, A. Eichhöfer, N. Crawford, R. Ahlrichs, and D. Fenske, *Synthese, Kristallstruktur und quantenchemische Untersuchung des phosphanstabilisierten Nickel-Schwefel-Clusters  $[Ni_{32}S_{24}(PPh_3)_{10}]$* , Z. Anorg. Allg. Chem. **633**, 713 (2007)
- [C1.1:20] P. Sevillano, O. Fuhr, and D. Fenske, *Synthese und Struktur von  $[Au_{10}Se_5(dppa)_4\{Co_2(CO)_5\}_4]$* , Z. Anorg. Allg. Chem. **633**, 1783 (2007)
- [C1.1:21] B. Bechlars, R. Feuerhake, and D. Fenske, *Synthesen und Kristallstrukturen neuer chalcogenido-verbrückter Niob-Kupfer-Cluster*, Z. Anorg. Allg. Chem. **633**, 2603 (2007)
- [C1.1:22] \* C. Anson, A. Eichhöfer, I. Issac, D. Fenske, O. Fuhr, P. Sevillano, C. Persau, D. Stalke, and J. Zhang, *Synthesis and crystal structures of the ligand-stabilized silver chalcogenide clusters  $[Ag_{154}Se_{77}(dppxy)_{18}]$ ,  $[Ag_{320}(StBu)_{60}S_{130}(dppp)_{12}]$ ,  $[Ag_{352}S_{128}(StC_5H_{11})_{96}]$ , and  $[Ag_{490}S_{188}(StC_5H_{11})_{114}]$* , Angew. Chem. **120**, 1346 (2008); Angew. Chem. Int. Ed. **47**, 1326 (2008)
- [C1.1:23] ‡ A. Eichhöfer, P.T. Wood, R.N. Viswanath, and R.A. Mole, *Synthesis, structure and physical properties of the manganese(II) selenide/selenolate cluster complexes  $[Mn_{32}Se_{14}(SePh)_{36}(PnPr_3)_4]$  and  $[Na(\text{benzene-15-crown-5})(C_4H_8O)_2]_2[Mn_8Se(SePh)_{16}]$* , Chem. Commun. 1596 (2008)
- [C1.1:24] ‡ B. Bechlars, I. Issac, R. Feuerhake, R. Clérac, O. Fuhr, and D. Fenske, *Syntheses, Structures and Magnetic Properties of New Chalcogen-Bridged Heterodimetallic Clusters Compounds with Heterocubane Structure*, Eur. J. Inorg. Chem. 1632 (2008)
- [C1.1:25] C.T. Mitkina, N. Zakharchuk, D. Naumov, O. Gerasko, D. Fenske, and V. Fedin, *Syntheses, Structures, and Electrochemical Properties of Inclusion Compounds of Cucurbit[8]uril with Cobalt(III) and Nickel(II) Complexes*, Inorg. Chem. **47**, 6748 (2008)
- [C1.1:26] H. Sommer, A. Eichhöfer, and D. Fenske, *Synthese und Kristallstrukturen der Bismutchalkogenolate  $Bi(SC_6H_5)_3$ ,  $Bi(SeC_6H_5)_3$  und  $Bi(S-4-CH_3C_6H_4)_3$* , Z. Anorg. Allg. Chem. **634**, 436 (2008)
- [C1.1:27] \*‡ O.A. Gerasko, E.A. Maichineva, M.I. Naumova, M. Neumaier, M.M. Kappes, S. Lebedkin, D. Fenske, and V.P. Fedin, *Sandwich-Type Tetranuclear Lanthanide Complexes with Cucurbit[6]uril: From Molecular Compounds to Coordination Polymers*, Inorg. Chem. **47**, 8869 (2008)
- [C1.1:28] \* H. Sommer, A. Eichhöfer, N. Drebov, R. Ahlrichs, and D. Fenske, *Preparation, Geometric and Electronic Structures of  $[Bi_2Cu_4(SPh)_8(PPh_3)_4]$  with a  $Bi_2$  Dumbbell,*

*[Bi<sub>4</sub>Ag<sub>3</sub>(SePh)<sub>6</sub>Cl<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>]<sub>2</sub> and [Bi<sub>4</sub>Ag<sub>3</sub>(SePh)<sub>6</sub>X<sub>3</sub>(PPhiPr<sub>2</sub>)<sub>3</sub>]<sub>2</sub> (X=Cl, Br) with a Bi<sub>4</sub> Unit,*  
Eur. J. Inorg. Chem. 5138 (2008)

- [C1.1:29] L. Fernandez-Recio, D. Fenske, and O. Fuhr, *Copper Chalcogenide Cluster Compounds with Nitro-functionalized Ligand Shell*, Z. Anorg. Allg. Chem. **634**, 2853 (2008)
- [C1.1:30] H. Sommer, A. Eichhöfer, and D. Fenske, *Synthese und Kristallstrukturen der Bismutchalcogenolate Bi(SC<sub>6</sub>H<sub>5</sub>)<sub>3</sub>, Bi(SeC<sub>6</sub>H<sub>5</sub>)<sub>3</sub> und Bi(S-4-CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>)<sub>3</sub>*, Z. Anorg. Allg. Chem. **634**, 436 (2008)
- [C1.1:31] ‡ N.V. Izarova, M.N. Sokolov, D.G. Samsonenko, A. Rothenberger, D. Fenske, and V.P. Fedin, *Synthesis and Structures of two new coordination polymers formed by large polyoxometalate fragments and lanthanide cations*, Russian Chemical Bulletin **57**, 78 (2008)
- [C1.1:32] \*‡ D. Coucouvanis, A.R. Paital, Q. Zhang, N. Lehnert, R. Ahlrichs, K. Fink, D. Fenske, A.K. Powell, and Y. Lan, *Synthesis Electronic Structure, and Structural Characterization of the New, Non - Innocent 4.5- Dithio - Catecholate Ligand, its Metal Complexes, and Their Oxidized 4, 5- Dithio-o-quinone Derivatives*, Inorg. Chem. **48**, 8830 (2009)
- [C1.1:33] \* A. Eichhöfer, J. Olkowska-Oetzel, D. Fenske, K. Fink, V. Mereacre, A.K. Powell, and G. Buth, *Synthesis and Structure of an "Iron-Doped" Copper Selenide Cluster Molecule: [Cu<sub>30</sub>Fe<sub>2</sub> Se<sub>6</sub> (SePh)<sub>24</sub>(dppm)<sub>4</sub>]*, Inorg. Chem. **48**, 8977 (2009)
- [C1.1:34] ‡ C.-F. Zhuang, J. Zhang, Q. Wang, Z.-H. Chu, D. Fenske, and C.-Y. Su, *Temperature-Dependent Guest-Driven Single-Crystal-to-Single-Crystal Ligand Exchange in a Two-Fold Interpenetrated Cd<sup>d</sup> Grid Network*, Chem. Eur. J. **15**, 7578 (2009)
- [C1.1:35] ‡ J.F. Corrigan, O. Fuhr, and D. Fenske, *Metal Chalcogenide Clusters on the Border between Molecules and Materials*, Adv. Mater. **21**, 1867 (2009)
- [C1.1:36] R. Langer, L. Wünsche, D. Fenske, and O. Fuhr, *Kupferchalkogenid-Clusterverbindungen mit Brom-funktionalisierter Ligandenhülle*, Z. Anorg. Allg. Chem. **635**, 2488 (2009)
- [C1.1:37] S. König, D. Fenske, and F. Weigend, *Synthesis, Crystal Structure and Bond Situation of [Co<sub>7</sub>Se<sub>7</sub>Cp<sub>3</sub>(CO)<sub>4</sub>] Cp = Cyclopentadienyl*, Z. Anorg. Allg. Chem. **635**, 2288 (2009)
- [C1.1:38] H. Sommer, A. Eichhöfer, and D. Fenske, *Synthesis, Crystal Structure and Thermal Behavior of [BiAg<sub>3</sub>Br<sub>6</sub>(PPh<sub>3</sub>)<sub>6</sub>] and [Bi<sub>3</sub>Ag<sub>6</sub>(SPh)<sub>6</sub>Cl<sub>3</sub>(PPhiPr<sub>2</sub>)<sub>3</sub>]*, Z. Anorg. Allg. Chem. **635**, 1997 (2009)
- [C1.1:39] \* H. Sommer, N. Drebov, A. Eichhöfer, R. Ahlrichs, and D. Fenske, *Synthesis, Structures and Theoretical Investigations of [Li(thf)<sub>4</sub>]<sub>2</sub> [Ti<sub>2</sub>Cu<sub>8</sub>S<sub>4</sub>(SPh)<sub>10</sub>]] and [Ti<sub>2</sub>Ag<sub>6</sub>S<sub>6</sub>Cl<sub>2</sub>(PPhiPr<sub>2</sub>)<sub>6</sub>]*, Eur. J. Inorg. Chem. 4329 (2009)
- [C1.1:40] ‡ M.-L. Fu, D. Fenske, B. Weinert, and O. Fuhr, *One-Dimensional Coordination Polymers Containing Polynuclear (Selenolato) copper Complexes Linked By Bipyridine Ligands*, Eur. J. Inorg. Chem. 1098 (2010)
- [C1.1:41] G. Schmid and D. Fenske, *Metal Clusters and Nanoparticles*, Phil. Trans. R. Soc. A **368**, 1207 (2010)
- [C1.1:42] ‡ A. Eichhöfer, J.-J. Jiang, H. Sommer, F. Weigend, O. Fuhr, D. Fenske, C.-Y. Su, and G. Buth, *1-D-Tin(II) Phenylchalcogenolato Complexes <sup>1</sup>-[Sn(EPh)<sub>2</sub>]<sub>n</sub> (E = S, Se, Te) – Synthesis, Structures, Quantum Chemical Studies and Thermal Behaviour*, Eur. J. Inorg. Chem. 410 (2010)
- [C1.1:43] ‡ J.-J. Jiang, L. Li, M.-H. Lan, M. Pan, A. Eichhöfer, D. Fenske, and C.-Y. Su, *Thermally Stable Porous Hydrogen-Bonded Coordination Networks Displaying Dual*

*Properties Of Robustness and Dynamics Upon Guest Uptake*, Chem. Eur. J. **16**, 1841 (2010)

- [C1.1:44] \* ‡ C.B. Khadka, D.G. Macdonald, Y. Lan, A.K. Powell, D. Fenske, and J.F. Corrigan, *Trimethylsilylchalcogenolates of Co(II) and Mn(II); From Mononuclear Coordination Complexes to Cluster Containing –ESiMe<sub>3</sub> Moieties (E = S, Se)*, Inorg. Chem. **49**, 7289 (2010)
- [C1.1:45] ‡ M.L. Fu, I. Issac, D. Fenske, and O. Fuhr, *Metal-Rich Copper Chalcogenide Clusters at the Border Between Molecule and Bulk Phase: The Structures of [Cu<sub>93</sub>Se<sub>42</sub>(SeC<sub>6</sub>H<sub>4</sub>SMe)<sub>9</sub>(PPh<sub>3</sub>)<sub>18</sub>], [Cu<sub>96</sub>Se<sub>45</sub>(SeC<sub>6</sub>H<sub>4</sub>SMe)<sub>6</sub>(PPh<sub>3</sub>)<sub>18</sub>], and [Cu<sub>136</sub>S<sub>56</sub>(SCH<sub>2</sub>C<sub>4</sub>H<sub>3</sub>O)<sub>24</sub>(dpppt)<sub>10</sub>]*, Angew. Chem. Int. Ed. **49**, 6899 (2010)
- [C1.1:46] ‡ S. Dehnen, A. Eichhöfer, J. F. Corrigan, O. Fuhr, and D. Fenske, *Synthesis and Characterization of I-VI Nanoclusters, in Nanoparticles; From Theory to Application*; Ed. By G. Schmid, page 127-213, Wiley-VCH, Weinheim 2010
- [C1.1:47] ‡ M.-L. Fu, D. Fenske, B. Weinert, and O. Fuhr, *One-Dimensional Coordination Polymers Containing Polynuclear (Selenolato)copper Complexes Linked by Bipyridine Ligands*, Eur. J. Inorg. Chem. 1098 (2010)
- [C1.1:48] R. Langer, B. Breiting, O. Fuhr, L. Wünsche, and D. Fenske, *Functionalized Silver Cluster*, Z. Anorg. Allg. Chem. **637**, 995 (2011)
- [C1.1:49] ‡ X. Wang, J. Huang, S. Xiang, Y. Liu, J. Zhang, A. Eichhöfer, D. Fenske, S. Bai and C.-Y. Su, *Discrete Ag<sub>6</sub>L<sub>6</sub> coordination nanotubular structures based on a T-shaped pyridyl diphosphine*, Chem. Commun. **47**, 3849 (2011)
- [C1.1:50] R. Langer, W. Yu, L. Wünsche, G. Butth, O. Fuhr, and D. Fenske, *Synthese und Strukturaufklärung Trimethylsiloxy-funktionalisierter Kupferchalkogenidcluster*, Z. Anorg. Allg. Chem. **637**, 1834 (2011)
- [C1.1:51] ‡ S. Ahmar, C. Nitschke, N. Vijayaratnam, D.G. MacDonald, D. Fenske, and J.F. Corrigan, *A ferrocenylmethylselenolate complex of Ag(I): preparation of the polyferrocenyl cluster [Ag<sub>8</sub>(SeCH<sub>2</sub>Fc)<sub>8</sub>(PPh<sub>3</sub>)<sub>4</sub>]* from the new silylated reagent FcCH<sub>2</sub>SeSiMe<sub>3</sub>, New J. Chem. **35**, 2013 (2011)