

## C1.2 (A. Powell)

- [C1.2:1] ‡ S.B. Mukkamala, R. Clérac, C.E. Anson, and A.K. Powell, *Structures and magnetic behaviour of hydroxo- bridged Cr(III) aggregates: [Cr<sub>4</sub>(μ-OH)<sub>4</sub>(hppta)<sub>2</sub>]<sup>2-</sup> and [Cr<sub>6</sub>(μ-OH)<sub>8</sub>(hppta)<sub>2</sub>(en)<sub>2</sub>]*, *Polyhedron* **25**, 530 (2006)
- [C1.2:2] ‡ J. Tang, I. Hewitt, N.T. Madhu, G. Chastanet, W. Wernsdorfer, C.E. Anson, C. Benelli, R. Sessoli, and A.K. Powell, *Dysprosium triangles showing Single Molecule Magnet behaviour of thermally excited spin states*, *Angew. Chem. Int. Ed.* **45**, 1729 (2006)
- [C1.2:3] ‡ Y. Li, W. Wernsdorfer, R. Clérac, I.J. Hewitt, C.E. Anson, and A.K. Powell, *New Valence-Sandwich [Mn<sup>II</sup><sub>4</sub>Mn<sup>III</sup><sub>4</sub>Mn<sup>II</sup><sub>4</sub>] Aggregate showing Single-Molecule Magnet Behavior*, *Inorg. Chem.* **45**, 2376 (2006)
- [C1.2:4] ‡ M. Viertelhaus, P. Adler, R. Clérac, C.E. Anson, and A.K. Powell, *Iron(II) formate [Fe(O<sub>2</sub>CH)<sub>2</sub>]<sub>1/3</sub>(HCO<sub>2</sub>H): a mesoporous Magnet. The solvothermal syntheses and crystal structures of the isomorphous framework metal(II) formates [M(O<sub>2</sub>CH)<sub>2</sub>]<sub>n</sub>(solvent) (M = Fe, Co, Ni, Zn, Mg)*, *Eur. J. Inorg. Chem.* 692 (2005)
- [C1.2:5] ‡ G. Wu, R. Clérac, W. Wernsdorfer, S. Qiu, C.E. Anson, I.J. Hewitt, and A.K. Powell, *The “building-block” assembly of a [Ni<sub>12</sub>Mn<sub>6</sub>] aggregate*, *Eur. J. Inorg. Chem.* 1927 (2006)
- [C1.2:6] ‡ I.J. Hewitt, J.-K Tang, N.T. Madhu, R. Clérac, G. Buth, C.E. Anson, and A.K. Powell, *A series of new structural models for the OEC in Photosystem II*, *Chem. Commun.* 2650 (2006)
- [C1.2:7] ‡ A.M. Ako, V. Mereacre, I.J. Hewitt, R. Clérac, L. Lecren, C.E. Anson, and A.K. Powell, *Enhancing Single Molecule Magnet parameters. Synthesis, crystal structures and magnetic properties of mixed-valent Mn<sub>4</sub> SMMs*, *J. Mater. Chem.* **16**, 2579 (2006)
- [C1.2:8] ‡ A.M. Ako, I.J. Hewitt, V. Mereacre, R. Clérac, W. Wernsdorfer, C.E. Anson, and A.K. Powell, *A ferromagnetically coupled Mn<sub>19</sub> aggregate with a record S = 83/2 ground spin state*, *Angew. Chem. Int. Ed.* **45**, 4926 (2006)
- [C1.2:9] ‡ M. Belesi, F. Borsa, and A.K. Powell, *Evidence for spin-wave excitations in the long-range magnetically ordered state of a Fe<sub>19</sub> molecular crystal from proton NMR*, *Phys. Rev. B* **74**, 184408 (2006)
- [C1.2:10] ‡ A.M. Ako, O. Waldmann, V. Mereacre, F. Klöwer, I.J. Hewitt, C.E. Anson, H.U. Güdel, and A.K. Powell, *Odd-numbered Fe(III) Complexes: Synthesis, Molecular Structure, Reactivity, and Magnetic Properties*, *Inorg. Chem.* **46**, 756 (2007)
- [C1.2:11] ‡ V. Mereacre, A.M. Ako, R. Clérac, W. Wernsdorfer, G. Filoti, J. Bartolomé, C.E. Anson, and A.K. Powell, *A bell-shaped Mn<sub>11</sub>Gd<sub>2</sub> single-molecule magnet*, *J. Am. Chem. Soc.* **129**, 9248 (2007)
- [C1.2:12] ‡ G. Wu, I.J. Hewitt, S. Mameri, Y. Lan, R. Clérac, C.E. Anson, S. Qiu, and A.K. Powell, *Bifunctional ligand approach for constructing 3d-4f heterometallic clusters*, *Inorg. Chem.* **46**, 7229 (2007)
- [C1.2:13] ‡ A.M. Ako, V. Mereacre, R. Clérac, I.J. Hewitt, Y. Lan, C.E. Anson, and A.K. Powell, *High nuclearity 3d-4f [Fe<sup>III</sup><sub>5</sub>Ln<sup>III</sup><sub>8</sub>]<sup>2+</sup> complexes: synthesis, structure and magnetic properties*, *Dalton Trans.* 5245 (2007)
- [C1.2:14] ‡ J.P. Hill, S. Alam, K. Ariga, C.E. Anson, and A.K. Powell, *Nanostructured microspheres of MnO<sub>2</sub> formed by room temperature solution processing*, *Chem. Commun.* 383 (2008)
- [C1.2:15] ‡ V. Mereacre, D. Prodius, A.M. Ako, N. Kaur, J. Lipkowski, C. Simmons, N. Dalal, I. Geru, C.E. Anson, A.K. Powell, and C. Turta, *Synthesis, structure and*

*magnetic properties of unsymmetrical dodecanuclear Mn–Ln clusters*, Polyhedron **27**, 2459 (2008)

- [C1.2:16] ‡ O. Waldmann, A.M. Ako, H.U. Güdel, and A.K. Powell, *Assessment of the Anisotropy in the Molecule Mn<sub>19</sub> with a High-Spin Ground State S = 83/2 by 35 GHz Electron Paramagnetic Resonance*, Inorg. Chem. **47**, 3486 (2008)
- [C1.2:17] T.V. Mitkina, Y. Lan, V. Mereacre, W. Shi, A.K. Powell, and A. Rothenberger, *Oxygenation of P–S Bonds by a Trinuclear Iron Carboxylate: Synthesis and Structures of Iron Clusters Containing Group 15/16 Anions*, Dalton Trans. 1136 (2008)
- [C1.2:18] \* S. Diewald, Y. Lan, R. Clérac, A.K. Powell, and C. Feldmann, *Three (M<sup>II</sup>–O<sub>4</sub>)-type Heterocubane-like Compounds (M = Fe<sup>II</sup>, Co<sup>II</sup>, Ni<sup>II</sup>)*, Z. Anorg. Allg. Chem. **634**, 1880 (2008)
- [C1.2:19] ‡ J.P. Hill, H. Palza, S. Alam, K. Ariga, A.L. Schumacher, C.E. Anson, and A.K. Powell, *Decomposition of dinuclear manganese complexes for preparation of nanostructured oxide materials*, Inorg. Chem. **47**, 8306 (2008)
- [C1.2:20] ‡ V. Mereacre, A.M. Ako, R. Clérac, W. Wernsdorfer, I.J. Hewitt, C.E. Anson, and A.K. Powell, *Heterometallic [Mn<sub>5</sub>–Ln<sub>4</sub>] Single Molecule Magnets with high anisotropy barriers*, Chem. Eur. J. **14**, 3577 (2008)
- [C1.2:21] ‡ S. Nayak, Y. Lan, R. Clérac, C.E. Anson, and A.K. Powell, *Concentric Archimedean polyhedra: Mn<sup>III</sup><sub>12</sub>Mn<sup>II</sup><sub>9</sub> aggregates linked into a cubic network*, Chem. Commun. 5698 (2008)
- [C1.2:22] ‡ J. Luzon, K. Bernot, I.J. Hewitt, C.E. Anson, A.K. Powell, and R. Sessoli, *Spin Chirality in a Molecular Dysprosium Triangle: The Archetype of the Non-Collinear Ising Model*, Phys. Rev. Lett. **100**, 247205 (2008)
- [C1.2:23] G. Abbas, Y. Lan, G.E. Kostakis, C.E. Anson, and A.K. Powell, *An Investigation into Lanthanide-Lanthanide Magnetic Interactions in a Series of [Ln<sub>2</sub>(mdeaH<sub>2</sub>)<sub>2</sub>(piv)<sub>6</sub>] Dimers*, Inorg. Chim. Acta **361**, 3494 (2008)
- [C1.2:24] Y.-Z. Zheng, Y. Lan, C.E. Anson, and A.K. Powell, *Anion-Perturbed Magnetic Slow Relaxation in Planar {Dy<sub>4</sub>} Clusters*, Inorg. Chem. **47**, 10813 (2008)
- [C1.2:25] ‡ M.T. Gamer, Y. Lan, P.W. Roesky, A.K. Powell, and R. Clérac, *A Pentanuclear Dysprosium Hydroxy Cluster Showing Single Molecule Magnet Behavior*, Inorg. Chem. **47**, 6581 (2008)
- [C1.2:26] ‡ S. Mukherjee, Y. Lan, G.E. Kostakis, R. Clérac, C.E. Anson, and A.K. Powell, *Influence of Water Ligands on Structural Diversity: From a 1D Linear Coordination Polymer to 3D Ferrimagnetic Diamondoid Metal-Organic Frameworks*, Cryst. Growth Des. **9**, 577 (2009)
- [C1.2:27] G.E. Kostakis, G. Abbas, C.E. Anson, and A.K. Powell, *Inclusion of a Well Resolved T<sub>4</sub>(2)6(2) Water Tape in a H-bonded, (4,7)-binodal 3D Network*, CrystEngComm. **11**, 82 (2009)
- [C1.2:28] ‡ A.M. Ako, V. Mereacre, R. Clérac, W. Wernsdorfer, I.J. Hewitt, C.E. Anson, and A.K. Powell, *A [Mn<sub>18</sub>Dy] SMM Resulting from the Targeted Replacement of the Central Mn(II) in the S = 83/2 [Mn<sub>19</sub>]-Aggregate with Dy(III)*, Chem. Commun. 544 (2009)
- [C1.2:29] ‡ M.N. Akhtar, Y. Lan, V. Mereacre, R. Clérac, C.E. Anson, and A.K. Powell, *Synthesis, Structures and Magnetic Properties of Heterometallic Mn<sup>III</sup><sub>2</sub>Ln<sup>III</sup><sub>2</sub> Tetranuclear Complexes*, Polyhedron **28**, 1698 (2009)
- [C1.2:30] S. Mukherjee, Y. Lan, G. Novitchi, G.E. Kostakis, C.E. Anson, and A.K. Powell, *Syntheses, Structures and Magnetic Studies of Three Heterometallic Fe<sub>2</sub>Ln 1-D Coordination Polymers*, Polyhedron **28**, 1782 (2009)

- [C1.2:31] ‡ Y. Lan, G. Novitchi, R. Clérac, J.-K. Tang, N.T. Madhu, I.J. Hewitt, C.E. Anson, S. Brooker, and A.K. Powell, *Di-, Tetra- and Hexanuclear Iron(III), Manganese(II/III) and Copper(II) Complexes of Schiff-Base Ligands Derived from 6-substituted-2-formylphenols*, Dalton Trans. 1721 (2009)
- [C1.2:32] ‡ S. Nayak, L.M.C. Beltran, Y. Lan, R. Clérac, N.G.R. Hearns, W. Wernsdorfer, C.E. Anson, and A.K. Powell, *Two Edge-Sharing Mn<sup>II</sup><sub>4</sub>Mn<sup>III</sup><sub>6</sub> Supertetrahedra Give an Anisotropic S = 28±1 Mn<sup>II</sup><sub>6</sub>Mn<sup>III</sup><sub>11</sub> Complex*, Dalton Trans. 1901 (2009)
- [C1.2:33] M.N. Akhtar, Y.-Z. Zheng, Y. Lan, V. Mereacre, C.E. Anson, and A.K. Powell, *A Family of Heterometallic Semicircular Mn<sup>III</sup><sub>2</sub>Ln<sup>III</sup><sub>3</sub> Strands*, Inorg. Chem. **48**, 3502 (2009)
- [C1.2:34] \* ‡ H. Fliegl, K. Fink, W. Klopper, C.E. Anson, A.K. Powell, and R. Clérac, *Ab Initio Study of the Magnetic Exchange Coupling Constants of a Structural Model [CaMn<sup>III</sup><sub>3</sub>Mn<sup>II</sup>] of the Oxygen-Evolving Center in Photosystem II*, Phys. Chem. Chem. Phys. **11**, 3900 (2009)
- [C1.2:35] \* ‡ R. Abuhmaiera, Y. Lan, A.M. Ako, G.E. Kostakis, A. Mavrandonakis, W. Klopper, R. Clérac, C.E. Anson, and A.K. Powell, *One-Dimensional Cu(II) Coordination Polymers: Tuning the Structure by Modulating the “Carboxylate Arm” Lengths of Polycarboxylate Ligands*, CrystEngComm. **11**, 1089 (2009)
- [C1.2:36] G.E. Kostakis, K.C. Mondal, G. Abbas, Y. Lan, G. Novitchi, G. Buth, C.E. Anson, and A.K. Powell, *[Cu(N<sub>3</sub>)(p-CPA)]<sub>n</sub>: A Two-Dimensional Network Exhibiting Spin Reorientation*, CrystEngComm. **11**, 2084 (2009)
- [C1.2:37] ‡ M.N. Akhtar, V. Mereacre, G. Novitchi, J.-P. Tuchagues, C.E. Anson, and A.K. Powell, *Probing Lanthanide Anisotropy in Fe-Ln Aggregates using Magnetic Susceptibility Measurements and <sup>57</sup>Fe Mössbauer Spectroscopy*, Chem. Eur. J. **15**, 7278 (2009)
- [C1.2:38] F. Klöwer, Y. Lan, J. Nehrkorn, O. Waldmann, C.E. Anson, and A.K. Powell, *Modelling the Magnetic Behaviour of Square-Pyramidal Co<sup>II</sup><sub>5</sub> Aggregates: Tuning SMM Behaviour Through Variations in the Ligand Shell*, Chem. Eur. J. **15**, 7413 (2009)
- [C1.2:39] ‡ A.M. Ako, V. Mereacre, R. Clérac, I.J. Hewitt, Y. Lan, G. Buth, C.E. Anson, and A.K. Powell, *Tridecanuclear [Mn<sup>III</sup><sub>5</sub>Ln<sup>III</sup><sub>8</sub>] Complexes Derived from N-<sup>t</sup>Butyldiethanolamine: Synthesis, Structures and Magnetic Properties*, Inorg. Chem. **48**, 6713 (2009)
- [C1.2:40] \* ‡ D. Coucouvanis, A.R. Paital, Q. Zhang, R. Ahlrichs, K. Fink, D. Fenske, A. Powell, and Y. Lan, *Synthesis, Electronic Structure and Structural Characterization of the New, “Non-innocent” 4,5-Dithio-Catecholate Ligand, Its Metal Complexes and Their Oxidized 4,5-Dithio-o-quinone Derivatives*, Inorg. Chem. **48**, 8830 (2009)
- [C1.2:41] \* A. Bhunia, P.W. Roesky, Y. Lan, G.E. Kostakis, and A.K. Powell, *Salen-Based Infinite Coordination Polymers of Nickel and Copper*, Inorg. Chem. **48**, 10483 (2009)
- [C1.2:42] S. Isilak, V. Mereacre, Y. Lan, C.E. Anson, and A.K. Powell, *A Three-Dimensional Hydrogen-Bonded Network of Triiron(III) and Dilanthanum(III) Pivalate Complexes*, Aust. J. Chem. **62**, 1102 (2009)
- [C1.2:43] ‡ J. Bartolomé, G. Filoti, V. Kuncser, G. Schinteie, V. Mereacre, C.E. Anson, A.K. Powell, D. Prodius, and C. Turta, *Magnetostructural Correlations in the Tetranuclear Series of {Fe<sub>3</sub>LnO<sub>2</sub>} Butterfly Core Clusters: Magnetic and Mössbauer Spectroscopic Study*, Phys. Rev. B. **80**, 014430 (2009)

- [C1.2:44] V. Mereacre, A.M. Ako, M.N. Akhtar, A. Lindemann, C.E. Anson, and A.K. Powell, *Homo- and Heterovalent Polynuclear Ce and Ce/Mn Aggregates*, *Helv. Chim. Acta* **92**, 2507 (2009)
- [C1.2:45] ‡ G. Abbas, Y. Lan, V. Mereacre, W. Wernsdorfer, R. Clérac, G. Buth, M.T. Sougrati, F. Grandjean, G.J. Long, C.E. Anson, and A.K. Powell, *Magnetic and <sup>57</sup>Fe Mössbauer Study of the Single-Molecule Magnet Behavior of a Dy<sub>3</sub>Fe<sub>7</sub> Coordination Cluster*, *Inorg. Chem.* **48**, 9345 (2009)
- [C1.2:46] ‡ Y.-Z. Zheng, Y. Lan, W. Wernsdorfer, C.E. Anson, and A.K. Powell, *Polymerisation of the Dysprosium Acetate Dimer Switches on Single-Chain Magnetism*, *Chem. Eur. J.* **15**, 12566 (2009)
- [C1.2:47] K.C. Mondal, G.E. Kostakis, Y. Lan, C.E. Anson, and A.K. Powell, *Spin-Canting and Metamagnetic Behavior in a New Species from the Hydrothermal Co(II)-trans-3-pyridylacrylate System*, *Inorg. Chem.* **48**, 9205 (2009)
- [C1.2:48] ‡ I.J. Hewitt, Y. Lan, C.E. Anson, J. Luzon, R. Sessoli, and A.K. Powell, *Opening up a Dysprosium Triangle by Ligand Oximation*, *Chem. Comm.* 6765 (2009)
- [C1.2:49] ‡ V. Mereacre, D. Prodius, A.M. Ako, S. Shova, C. Turta, K. Wurst, P. Jaitner, and A.K. Powell, *New Pentanuclear and Heptanuclear Iron(II, III) Complexes with Ferrocenedicarboxylic Acid*, *Polyhedron* **28**, 3551 (2009)
- [C1.2:50] G.E. Kostakis and A.K. Powell, *An Approach to Describing the Topology of Polynuclear Clusters*, *Coord. Chem. Rev.* **253**, 2686 (2009)
- [C1.2:51] \* G.E. Kostakis, A. Mavrandonakis, G. Abbas, W. Klopper, D. Schooss, S. Lebedkin, Y-H. Lan, and A.K. Powell, *An In-Depth Study on Hydrogen-Bonded 3-D Frameworks Possessing Hydrophobic Layers and Hydrophilic Pillars*, *CrystEngComm.* **11**, 2480 (2009)
- [C1.2:52] \* A. Eichhöfer, J. Olkowska-Oetzel, D. Fenske, K. Fink, V. Mereacre, A.K. Powell, and G. Buth, *Synthesis and Structure of an "Iron-Doped" Copper Selenide Cluster Molecule: [Cu<sub>30</sub>Fe<sub>2</sub>Se<sub>6</sub>(SePh)<sub>24</sub>(dppm)<sub>4</sub>]*, *Inorg. Chem.* **48**, 8977 (2009)
- [C1.2:53] G.E. Kostakis, K.C. Mondal, C.E. Anson, and A.K. Powell, *Influence of the Metal Radius on the Dimensionality of Hydrogen-Bonded Metal Supramolecular Frameworks*, *Polyhedron* **29**, 24 (2010)
- [C1.2:54] ‡ V. Mereacre, A.M. Ako, G. Filoti, J. Bartolomé, C.E. Anson, and A.K. Powell, *One-Pot Synthesis of an Unusual Manganese-Lanthanide-Ferrocene Cluster: A Combination of d-, f-metals and an Organometallic Fragment*, *Polyhedron* **29**, 244 (2010)
- [C1.2:55] ‡ A.M. Ako, V. Mereacre, Y. Lan, W. Wernsdorfer, R. Clérac, C.E. Anson, and A.K. Powell, *An Undecanuclear Fe<sup>III</sup> Single-Molecule Magnet*, *Inorg. Chem.* **49**, 1 (2010)
- [C1.2:56] \* A.S. Abouelwafa, V. Mereacre, Y. Lan, T.S. Balaban, C.E. Anson, and A.K. Powell, *Photo- and Thermally-Enhanced Charge Separation in Supramolecular Viologen-Hexacyanoferrate Complexes*, *CrystEngComm.* **12**, 94 (2010)
- [C1.2:57] ‡ H. Xiang, Y. Lan, H.-Y. Li, J. L., T.-B. Lu, C.E. Anson, and A.K. Powell, *Novel Mixed-Valent Co<sup>II</sup><sub>2</sub>Co<sup>III</sup><sub>4</sub>Ln<sup>III</sup><sub>4</sub> Aggregates with Ligands Derived from tris(hydroxymethyl)aminomethane (Tris)*, *Dalton Trans.* **39**, 4737 (2010)
- [C1.2:58] ‡ X.-Q. Zhao, Y. Lan, B. Zhao, P. Cheng, C.E. Anson, and A.K. Powell, *Synthesis, Structures and Magnetic Properties of a Series of 3d-4f Tetranuclear Co<sup>II</sup><sub>2</sub>Ln<sup>III</sup><sub>2</sub> Cubanes*, *Dalton Trans.* **39**, 4911 (2010)
- [C1.2:59] ‡ V. Mereacre, M.N. Akhtar, Y. Lan, A.M. Ako, R. Clérac, C.E. Anson, and A.K. Powell, *Structures and Magnetic Properties of [Mn<sup>III</sup><sub>4</sub>Ln<sup>III</sup><sub>4</sub>] Aggregates with a "Square-in Square" Topology*, *Dalton Trans.* **39**, 4918 (2010)

- [C1.2:60] \* ‡ S. Nayak, S. Malik, S. Indris, J. Reedijk, and A.K. Powell, *Pyrolysis of a Three-Dimensional Mn-II/Mn-III Network To Give a Multifunctional Porous Manganese Oxide Material*, Chem. Eur. J. **16**, 1158 (2010)
- [C1.2:61] ‡ D. Schray, G. Abbas, Y. Lan, V. Mereacre, A. Sundt, J. Dreiser, O. Waldmann, G. Kostakis, C.E. Anson, and A.K. Powell, *Probing a Ferromagnetic Fe<sup>III</sup><sub>4</sub>Dy<sub>4</sub> Ring by Magnetic Susceptibility Measurements and <sup>57</sup>Fe Mössbauer Spectroscopy*, Angew. Chem. Int. Ed. **49**, 5185 (2010)
- [C1.2:62] ‡ I.J. Hewitt, J. Tang, N.T. Madhu, C.E. Anson, Y. Lan, J. Luzon, M. Etienne, R. Sessoli, and A.K. Powell, *Coupling Dy<sub>3</sub> Triangles Enhances their Slow Magnetic Relaxation*, Angew. Chem. Int. Ed. **49**, 6352 (2010)
- [C1.2:63] ‡ M. Li, A.M. Ako, Y. Lan, W. Wernsdorfer, G. Buth, C.E. Anson, A.K. Powell, Z. Wang, and S. Gao, *New Heterometallic [Mn<sup>III</sup><sub>4</sub>Ln<sup>III</sup><sub>4</sub>] Wheels Incorporating Formate Ligands*, Dalton Trans. **39**, 3375 (2010)
- [C1.2:64] Z. Majeed, K.C. Mondal, G.E. Kostakis, Y. Lan, C.E. Anson, and A.K. Powell, *Structure and Magnetic Properties of a Decanuclear Mn<sup>II</sup><sub>2</sub>Mn<sup>III</sup><sub>2</sub>Dy<sub>6</sub> Aggregate*, Dalton Trans. **39**, 4740 (2010)
- [C1.2:65] ‡ J. Rinck, G. Novitchi, W. van den Heuvel, L. Ungur, Y. Lan, W. Wernsdorfer, C.E. Anson, L.F. Chibotaru, and A.K. Powell, *An Octanuclear [Cr<sup>III</sup><sub>4</sub>Dy<sup>III</sup><sub>4</sub>] 3d/4f Single-Molecule Magnet*, Angew. Chem. Int. Ed. **49**, 7583 (2010)
- [C1.2:66] ‡ V. Mereacre, Y. Lan, R. Clérac, A.M. Ako, I.J. Hewitt, W. Wernsdorfer, G. Buth, C.E. Anson, and A.K. Powell, *Family of Mn<sup>III</sup><sub>2</sub>Ln<sub>2</sub>(μ<sub>4</sub>-O) Compounds: Syntheses, Structures, and Magnetic Properties*, Inorg. Chem. **49**, 5293 (2010)
- [C1.2:67] \*‡ C.B. Khadka, D.G. Macdonald, Y. Lan, A.K. Powell, D. Fenske, and J.F. Corrigan, *Trimethylsilylchalcogenolates of Co(II) and Mn(II): From Mononuclear Coordination Complexes to Clusters Containing -ESiMe<sub>3</sub> Moieties (E = S, Se)*, Inorg. Chem. **49**, 7289 (2010)
- [C1.2:68] ‡ G. Abbas, Y. Lan, G.E. Kostakis, W. Wernsdorfer, C.E. Anson, and A.K. Powell, *A Series of Isostructural Planar Lanthanide Complexes [Ln<sup>III</sup><sub>4</sub>(μ<sub>3</sub>-OH)<sub>2</sub>(mdeaH)<sub>2</sub>(piv)<sub>8</sub>] with Single-Molecule Magnet Behavior for the Dy<sub>4</sub> Analogue*, Inorg. Chem. **49**, 8067 (2010)
- [C1.2:69] ‡ W. Schmitt, L. Zhang, C.E. Anson, and A.K. Powell, *Aggregation of Dinuclear {Fe<sub>2</sub>hppta} Units to form Polynuclear Oxy/hydroxy-bridged Fe(III) Coordination Complexes*, Dalton Trans. **39**, 10279 (2010)
- [C1.2:70] ‡ M. Li, Y. Lan, A.M. Ako, W. Wernsdorfer, C.E. Anson, G. Buth, A.K. Powell, Z. Wang, and S. Gao, *A Family of 3d-4f Octanuclear [Mn<sup>III</sup><sub>4</sub>Ln<sup>III</sup><sub>4</sub>] Wheels (Ln = Sm, Gd, Tb, Dy, Ho, Er, and Y): Synthesis, Structure and Magnetism*, Inorg. Chem. **49**, 11587 (2010)
- [C1.2:71] ‡ S. Nayak, M. Evangelisti, A.K. Powell, and J. Reedijk, *Magnetothermal Studies of a Series of Coordination Clusters Built from Ferromagnetically Coupled {Mn<sup>II</sup><sub>4</sub>Mn<sup>III</sup><sub>6</sub>} Supertetrahedral Units*, Chem. Eur. J. **16**, 12865 (2010)
- [C1.2:72] ‡ V. Mereacre, D. Prodius, Y. Lan, C. Turta, C.E. Anson, and A.K. Powell, *Antiferromagnetically Coupled Iron Ions in a Polynuclear Fe<sup>III</sup>-Dy Complex: Confirmation by Variable-Field <sup>57</sup>Fe Mössbauer Spectroscopy*, Chem. Eur. J. **17**, 123 (2011)
- [C1.2:73] ‡ Z. Salman, S.R. Giblin, Y. Lan, A.K. Powell, R. Scheuermann, R. Tingle, and R. Sessoli, *Probing the Magnetic Ground State of the Molecular Dysprosium Triangle with Muon Spin Relaxation*, Phys. Rev. B **82**, 174427 (2010)

- [C1.2:74] \* P.W. Roesky, A. Bhunia, Y. Lan, A.K. Powell, and S. Kureti, *Salen-Based Metal Organic Frameworks of Nickel and the Lanthanides*, Chem. Commun. **47**, 2035 (2011)
- [C1.2:75] ‡ M. Griffin, S. Shakespeare, H.J. Shepherd, C.J. Harding, J.-F. Létard, C. Desplanches, A.E. Goeta, J.A.K. Howard, A.K. Powell, V. Mereacre, Y. Garcia, A.N. Naik, H. Müller-Bunz, and G.G. Morgan, *Symmetry breaking spin state transition in iron(III)*, Angew. Chem. Int. Ed. **50**, 896 (2011)
- [C1.2:76] ‡ S. Nayak, H. Nayak, S. Dehnen, A.K. Powell, and J. Reedijk, *Trigonal propeller-shaped  $[Mn^{III}{}_3M^{II}Na]$  complexes ( $M = Mn, Ca$ ): Structural and functional models for the dioxygen evolving centre of PSII*, Dalton Trans. **40**, 2699 (2011)
- [C1.2:77] A. Baniodeh, I.J. Hewitt, V. Mereacre, Y. Lan, G. Novitchi, C.E. Anson, and A.K. Powell, *Heterometallic 20-Membered  $\{Fe_{16}Ln_4\}$  ( $Ln = Sm, Eu, Gd, Tb, Dy, Ho$ ) Metallo-Ring Aggregates*, Dalton Trans. **40**, 24080 (2011)
- [C1.2:78] ‡ H.L.C. Feltham, Y. Lan, F. Klöwer, L. Ungur, L.F. Chibotaru, A.K. Powell, and S. Brooker, *A non-sandwiched macrocyclic mono-lanthanide single molecule magnet: the key role of axiality*, Chem. Eur. J. **17**, 4362 (2011)
- [C1.2:79] A.M. Ako, V. Mereacre, Y. Lan, C.E. Anson, and A.K. Powell, *Combined Use of Magnetic Susceptibility Measurements and  $^{57}Fe$  Mössbauer Spectroscopy to Determine the Magnetic Ground State of an  $Fe^{III}_{16}$  Coordination Cluster*, Chem. Eur. J. **17**, 4366 (2011)
- [C1.2:80] M. Ibrahim, Y. Lan, B.S. Bassil, Y. Xiang, A.K. Powell, and U. Kortz, *Hexadeca-Cobalt(II) Containing Polyoxometalate-Based Single-Molecule Magnet*, Angew. Chem. Int. Ed. **50**, 4708 (2011)
- [C1.2:81] ‡ H.L.C. Feltham, R. Clérac, A.K. Powell, and S. Brooker, *A tetranuclear, macrocyclic 3d-4f complex showing Single-Molecule Magnet behaviour*, Inorg. Chem. **50**, 4232 (2011)
- [C1.2:82] D. Weismann, Y. Sun, Y. Lan, G. Wolmerhäuser, A.K. Powell, and H. Sitzmann, *High-Spin Cyclopentadienyl Complexes: A Single-Molecule Magnet Based on the Aryl-Iron(II) Cyclopentadienyl Type*, Chem. Eur. J. **17**, 4700 (2011)
- [C1.2:83] ‡ Y. Zhang, W. Shi, Y.H. Lan, N. Xu, X.Q. Zhao, A.K. Powell, B. Zhao, P. Cheng, D.Z. Liao, and S.P. Yan, *Observation of slow relaxation of the magnetisation and hysteresis loop in an antiferromagnetic ordered phase of a 2D framework based on  $Co^{II}$  magnetic chains*, Chem. Commun. **47**, 2859 (2011)
- [C1.2:84] ‡ A. K. Vishwakarma, P.S. Ghalsasi, A. Navamoney, Y. Lan and A.K. Powell, *Structural phase transition and magnetic properties of layered organic-inorganic hybrid compounds: p-Haloanilinium tetrachlorocuprate(II)*, Polyhedron **30**, 1565 (2011)
- [C1.2:85] ‡ L. Castelli, M. Fittipaldi, A.K. Powell, D. Gatteschi and L. Sorace, *Single crystal EPR study at 95 GHz of a large Fe based molecular nanomagnet: toward the structuring of magnetic nanoparticle properties*, Dalton Trans. **40**, 8145 (2011)
- [C1.2:86] S. Stuiber, G. Wu, J. Nehrkorn, J. Dreiser, G. Novitchi, C.E. Anson, T. Unruh, A.K. Powell, and O. Waldmann, *Inelastic Neutron Scattering on an Mn<sub>10</sub> Supertetrahedron: Assessment of Exchange Coupling Constants, Ferromagnetic Spin Waves and an Analogy to the Hückel Method*, Chem. Eur. J. **17**, 9094 (2011)
- [C1.2:87] ‡ E. Katsoulakou, V. Beiari, C.P. Raptopoulou, A. Terzis, E. Manessi-Zoupa, A.K. Powell, and S.P. Perlepes, *Simultaneous coordination of a ketone by two cadmium(II) ions and conversion to its gem-diolate(-1) form*, Inorg. Chem. Comm. **14**, 1057 (2011)

- [C1.2:88] ‡ R. Pattacini, P. Teo, J. Zhang, Y. Lan, A.K. Powell, J. Nehrkorn, O. Waldmann, T.S.A. Hor, and P. Braunstein, *Synthesis, Characterization, and Single-Molecule Metamagnetism of New Co(II) Polynuclear Complexes of Pyridine-2-ylmethanol*, Dalton Trans. **40**, 10526 (2011)
- [C1.2:89] ‡ Y.-N. Guo, G.-F. Xu, W. Wernsdorfer, L. Ungur, Y. Guo, J. Tang, H.-J. Zhang, L.F. Chibotaru, and A. K. Powell, *Strong Axiality and Ising Exchange Interaction Suppress Zero-Field Tunneling of Magnetization of Asymmetric Dy<sub>2</sub> Single-Molecule Magnet*, J. Am. Chem. Soc. **133**, 11948 (2011)
- [C1.2:90] ‡ H.L.C. Feltham, F. Klöwer, S.A. Cameron, D.S. Larsen, Y. Lan, M. Tropiano, S. Faulkner, A.K. Powell and S. Brooker, *A family of 13 tetranuclear zinc(II)-lanthanide(III) complexes of a [3+3] Schiff-base macrocycle derived from 1,4-diformyl-2,3-dihydroxybenzene*, Dalton Trans. **40**, 11425 (2011)
- [C1.2:91] Z. Majeed, G.E. Kostakis, Y. Lan, and A.K. Powell, *Fine-tuning of lanthanide-monocarboxylate coordination networks through ligand decoration*, Dalton Trans. **40**, 12210 (2011)
- [C1.2:92] ‡ J. Feuersenger, D. Prodius, V. Mereacre, R. Clérac, C.E. Anson, and A.K. Powell, *Structure and magnetic properties of hexanuclear 3d-4f clusters with {Mn<sup>III</sup><sub>2</sub>Ln<sup>III</sup><sub>4</sub>} (Ln = Sm, Eu, Gd, Tb, Dy, Ho) core*, Inorg. Chem. Comm. **14**, 1851 (2011)
- [C1.2:93] ‡ E. Lhotel, V. Simonet, J. Ortloff, B. Canals, C. Paulsen, E. Suard, T. Hansen, D. J. Price, P.T. Wood, A.K. Powell, and R. Ballou, *Domain wall spin dynamics in kagome antiferromagnets*, Phys. Rev. Lett. **107**, 257205 (2011)