

Research Area E ‘Nano-Biology’

Project E1 ‘Transport of Functional Nanoparticles through Membranes’

E1.2 ‘Peptide-Mediated Transport of Nanoparticles into Cells’ (A. Ulrich)

- [E1.2:1] ‡ P.K. Mikhailiuk, S. Afonin, A.N. Chernega, E.B. Rusanov, M.O. Platonov, G.G. Dubinina, M. Berditsch, A.S. Ulrich, and I.V. Komarov, *Conformationally rigid trifluoromethyl-substituted α -amino acid designed for peptide structure analysis by solid-state ^{19}F NMR spectroscopy*, Angew. Chem. **118**, 5787, and Angew. Chem. Int. Ed. **45**, 5659 (2006)
- [E1.2:2] ‡ R. Witter, U. Sternberg, S. Hesse, T. Kondo, F.-Th. Koch, and A.S. Ulrich, *^{13}C chemical shift constrained crystal structure refinement of cellulose I_α and its verification by NMR anisotropy experiments*, Macromolecules **39**, 6125 (2006)
- [E1.2:3] P. Wadhwani, S. Afonin, M. Ieronimo, J. Bürck, and A.S. Ulrich, *Optimized protocol for synthesis of cyclic gramicidin S: starting amino acid is key to high yield*, J. Org. Chem. **71**, 55 (2006)
- [E1.2:4] P. Tremouilhac, E. Strandberg, P. Wadhwani, and A.S. Ulrich, *Synergistic transmembrane alignment of the antimicrobial heterodimer PGLa/Magainin*, J. Biol. Chem. **281**, 32089 (2006)
- [E1.2:5] R. Witter, U. Sternberg, and A.S. Ulrich, *NMR chemical shift powder pattern recoupling at high spinning speed and theoretical tensor evaluation applied to silk fibroin*, J. Am. Chem. Soc. **128**, 2236 (2006)
- [E1.2:6] S.L. Grage, A.V. Suleymanova, S. Afonin, P. Wadhwani, and A.S. Ulrich, *Solid state NMR analysis of the dipolar couplings within and between distant CF_3 -groups in a membrane-bound peptide*, J. Magn. Reson. **183**, 77 (2006)
- [E1.2:7] E. Strandberg, P. Wadhwani, P. Tremouilhac, U. Dürr, and A.S. Ulrich, *Solid-state NMR analysis of the PGLa peptide orientation in DMPC bilayers: structural fidelity of ^2H -labels vs high sensitivity of ^{19}F -NMR*, Biophys. J. **90**, 1676 (2006)
- [E1.2:8] P. Tremouilhac, E. Strandberg, P. Wadhwani, and A.S. Ulrich, *Conditions affecting the re-alignment of the antimicrobial peptide PGLa in membranes as monitored by solid state ^2H -NMR*, BBA - Biomembranes **1758**, 1330 (2006)
- [E1.2:9] S. Afonin, A. Frey, S. Bayerl, D. Fischer, P. Wadhwani, S. Weinkauf, and A.S. Ulrich, *The cell-penetrating peptide TAT(48-60) induces a non-lamellar phase in DMPC membranes*, ChemPhysChem **7**, 2134 (2006)
- [E1.2:10] P. Wadhwani, P. Tremouilhac, E. Strandberg, S. Afonin, S. Grage, M. Ieronimo, M. Berditsch, and A.S. Ulrich, *Use of fluorinated amino acids for structure analysis of membrane-active peptides by solid state ^{19}F -NMR*, ACS Book 949 “Current Fluoroorganic Chemistry” (Eds. V. Soloshonok, K. Mikami, T. Yamazaki, J. T. Welch, and J. Honek) 431 – 446 (2007)
- [E1.2:11] U. Sternberg, R. Witter, and A.S. Ulrich, *Crystal structure refinement using chemical shifts*, Modern Magnetic Resonance (Ed. G. A. Webb), Springer, 67 – 74 (2007)
- [E1.2:12] A.S. Ulrich, *Solid state ^{19}F -NMR analysis of oriented biomembranes*, Modern Magnetic Resonance (Ed. G. A. Webb), Springer, 257 – 263 (2007)
- [E1.2:13] E. Strandberg, D. Tiltak, M. Ieronimo, N. Kanithasen, P. Wadhwani, and A.S. Ulrich, *Influence of C-terminal amidation on the antimicrobial and hemolytic activities of cationic α -helical peptides*, Pure Appl. Chem. **79**, 717 (2007)
- [E1.2:14] U. Sternberg, R. Witter, and A.S. Ulrich, *All-atom molecular dynamics simulations using orientational constraints from anisotropic NMR samples*, J. Biomol. NMR **38**, 23 (2007)

- [E1.2:15] J. Reichert, D. Grasnick, S. Afonin, J. Bürck, P. Wadhwani, and A.S. Ulrich, *A critical evaluation of the conformational requirements of fusogenic peptides in membranes*, Eur. Biophys. J. **36**, 405 (2007)
- [E1.2:16] ‡ S.D. Müller, A.A. Angelis, T.H. Walther, S.L. Grage, C. Lange, S.J. Opella, and A.S. Ulrich, *Structural characterization of the pore forming protein TatA_d of the twin-arginine translocase in membranes by solid-state ¹⁵N-NMR*, BBA - Biomembranes **1768**, 3071 (2007)
- [E1.2:17] C. Lange, S.D. Müller, T.H. Walther, J. Bürck, and A.S. Ulrich, *Structure analysis of the protein translocating channel TatA in membranes using a multi-construct approach*, BBA - Biomembranes **1768**, 2627 (2007)
- [E1.2:18] B. Kranz, J. Bürck, M. Franzreb, R. Köster, and A.S. Ulrich, *Circular dichroism analysis of penicillin G acylase covalently immobilized on silica nanoparticles*, J. Colloid. Interface Sci. **316**, 413 (2007)
- [E1.2:19] M. Berditsch, S. Afonin, and A.S. Ulrich, *The ability of Aneurinibacillus migulanus (Bacillus brevis) to produce the antibiotic gramicidin S is correlated with phenotype variation*, Appl. Environ. Microbiol. **73**, 6620 (2007)
- [E1.2:20] ‡ S. Afonin, P.K. Mykhailiuk, I.V. Komarov, and A.S. Ulrich, *Evaluating the amino acid CF₃-bicyclopentylglycine as a new label for solid-state ¹⁹F-NMR structure analysis of membrane-bound peptides*, J. Pept. Sci. **13**, 614 (2007)
- [E1.2:21] S. Afonin, S.L. Grage, M. Ieronimo, P. Wadhwani, and A.S. Ulrich, *Temperature-dependent transmembrane insertion of the amphiphilic peptide PGLa in lipid bilayers observed by solid state ¹⁹F-NMR spectroscopy*, J. Am. Chem. Soc. **130**, 16512 (2008)
- [E1.2:22] P. Wadhwani, J. Bürck, E. Strandberg, C. Mink, S. Afonin, M. Ieronimo, and A.S. Ulrich, *Using a sterically restrictive amino acid as a ¹⁹F NMR label to monitor and control peptide aggregation in membranes*, J. Am. Chem. Soc. **130**, 16515 (2008)
- [E1.2:23] J. Bürck, S. Roth, P. Wadhwani, S. Afonin, N. Kanithasen, E. Strandberg, and A.S. Ulrich, *Conformation and membrane orientation of amphiphilic helical peptides by oriented circular dichroism*, Biophys J. **95**, 3872 (2008)
- [E1.2:24] ‡ G. Pabst, S.L. Grage, S. Danner-Pongratz, W. Jing, A.S. Ulrich, A. Watts, K. Lohner, and A. Hickel, *Membrane thickening by the antimicrobial peptide PGLa*, Biophys. J. **95**, 5779 (2008)
- [E1.2:25] ‡ R. Witter, F. Nozirov, U. Sternberg, T.A. Cross, A.S. Ulrich, and R. Fu, *Solid-state ¹⁹F NMR spectroscopy reveals that Trp₄₁ participates in the gating mechanism of the M2 proton channel of influenza A virus*, J. Am. Chem. Soc. **130**, 918 (2008)
- [E1.2:26] ‡ S.L. Grage, U.H.N. Dürr, S. Afonin, P.K. Mykhailiuk, I.V. Komarov, and A.S. Ulrich, *Solid state ¹⁹F NMR parameters of fluorine-labeled amino acids. Part II: Aliphatic substituents*, J. Mag. Reson. **191**, 16 (2008)
- [E1.2:27] * U.H.N. Dürr, S.L. Grage, R. Witter, and A.S. Ulrich, *Solid state ¹⁹F NMR parameters of fluorine-labeled amino acids. Part I: Aromatic substituents*, J. Mag. Reson. **191**, 7 (2008)
- [E1.2:28] * T. Schröder, N. Niemeier, S. Afonin, A.S. Ulrich, H.F. Krug, and S. Bräse, *Peptoidic amino- and guanidinium-carrier systems: Targeted drug delivery into the cell cytosol or the nucleus*, J. Med. Chem. **51**, 376 (2008)
- [E1.2:29] ‡ P.K. Mykhailiuk, S. Afonin, A.S. Ulrich, and I.V. Komarov, *A convenient route to trifluoromethyl-substituted cyclopropane derivatives*, Synthesis **11**, 1757 (2008)
- [E1.2:30] ‡ P.K. Mykhailiuk, S. Afonin, G.V. Palamarchuk, O.V. Shishkin, A.S. Ulrich, and I.V. Komarov, *Synthesis of trifluoromethyl-substituted proline analogues as ¹⁹F*

- NMR labels for peptides in the polyproline II conformation*, Angew. Chem. **120**, 5849, and Angew. Chem. Int. Ed. **47**, 5765 (2008)
- [E1.2:31] E. Strandberg, N. Kanithasen, D. Tiltak, J. Bürck, P. Wadhwani, O. Zwernemann, and A.S. Ulrich, *Solid-state NMR analysis comparing the designer-made antibiotic MSI-103 with its parent peptide PGLa in lipid bilayers*, Biochemistry-USA **47**, 2601 (2008)
- [E1.2:32] ‡ S. Afonin, U.H.N. Dürr, P. Wadhwani, J. Salgado, and A.S. Ulrich, *Solid state NMR structure analysis of the antimicrobial peptide gramicidin S in lipid membranes: Concentration-dependent re-alignment and self-assembly as a β -barrel*, Topics Curr. Chem. **273**, 139 (2008)
- [E1.2:33] ‡ K. Hilpert, M. Elliott, H. Jenssen, J. Kindrachuk, C.D. Fjell, J. Körner, D.F.H. Winkler, L.L. Weaver, P. Henklein, A.S. Ulrich, S.H.Y. Chiang, S.W. Farmer, N. Pante, R. Volkmer, and R.E.W. Hancock, *Screening and characterization of surface-tethered cationic peptides for antimicrobial activity*, Chem. Biol. **16**, 58 (2009)
- [E1.2:34] S. Ruden, K. Hilpert, M. Berditsch, P. Wadhwani, and A.S. Ulrich, *Synergistic interaction between silver nanoparticles and membrane-permeabilizing antimicrobial peptides*, Antimic. Agents Chemother. **53**, 3538 (2009)
- [E1.2:35] ‡ V.S. Kubyshkin, P.K. Mykhailiuk, A.S. Ulrich, and I.V. Komarov, *Synthesis of a conformationally rigid analogue of 2-amino adipic acid containing an 8-azabicyclo[3.2.1]octane skeleton*, Synthesis-Stuttgart **19**, 3327 (2009)
- [E1.2:36] ‡ F. Duchardt, I.R. Ruttekolk, W. Verdurmen, H. Lortat-Jacob, J. Bürck, H. Hufnagel, R. Fischer, M. van den Heuvel, D.W.P.M. Löwik, G.W. Vuister, A. Ulrich, M. de Waard, and R. Brock, *A cell-penetrating peptide derived from human lactoferrin with conformation-dependent uptake efficiency*, J. Biol. Chem. **284**, 36099 (2009)
- [E1.2:37] ‡ D. Maisch, P. Wadhwani, S. Afonin, C. Böttcher, B. Koksch, and A.S. Ulrich, *Chemical labeling strategy with (R)- and (S)-trifluoromethylalanine for solid state ^{19}F -NMR analysis of peptaibols in membranes*, J. Am. Chem. Soc. **131**, 15596 (2009)
- [E1.2:38] * U. Sternberg, M. Klipfel, S.L. Grage, R. Witter, and A.S. Ulrich, *Calculation of fluorine chemical shift tensors for the interpretation of oriented ^{19}F -NMR spectra of gramicidin A in membranes*, Phys. Chem. Chem. Phys. **11**, 7048 (2009)
- [E1.2:39] E. Strandberg, P. Tremouilhac, P. Wadhwani, and A.S. Ulrich, *Synergistic transmembrane insertion of the heterodimer PGLa/magainin 2 complex studied by solid-state NMR*, Biochim. Biophys. Acta **1788**, 1667 (2009)
- [E1.2:40] ‡ E. Strandberg, S. Esteban-Martín, J. Salgado, and A.S. Ulrich, *Orientation and dynamics of peptides in membranes calculated from 2H -NMR data*, Biophys. J. **96**, 3223 (2009)
- [E1.2:41] ‡ S. Esteban-Martín, E. Strandberg, G. Fuertes, A.S. Ulrich, and J. Salgado, *Influence of whole-body dynamics on ^{15}N PISEMA NMR spectra of membrane proteins: A theoretical analysis*, Biophys. J. **96**, 3233 (2009)
- [E1.2:42] M. Ieronimo, S. Afonin, K. Koch, M. Berditsch, P. Wadhwani, and A.S. Ulrich, *^{19}F -NMR analysis of the antimicrobial peptide PGLa bound to native cell membranes from bacterial protoplasts and human erythrocytes*, J. Am. Chem. Soc. **132**, 8822 (2010)
- [E1.2:43] ‡ S. Esteban-Martín, E. Strandberg, J. Salgado, and A.S. Ulrich, *Solid state NMR analysis of peptides in membranes: influence of dynamics and labeling scheme*, Biochim. Biophys. Acta **1798**, 252 (2010)

- [E1.2:44] * S.L. Grage, S. Afonin, and A.S. Ulrich, *Dynamic transitions of membrane-active peptides*, Meth. Mol. Biol. **618**, 183 (2010)
- [E1.2:45] ‡ P.K. Mykhailiuk N.M. Voievoda, S. Afonin, A.S. Ulrich, and I.V. Komarov, *An optimized protocol for the multigram synthesis of 3-(trifluoromethyl)bicyclopent-[1.1.1]-1-ylglycine*, J. Fluor. Chem. **131**, 217 (2010)
- [E1.2:46] O.V. Nolandt, T.H. Walther, S. Roth, J. Bürck, and A.S. Ulrich, *Structure analysis of the membrane protein TatC(d) from the Tat system of *B. subtilis* by circular dichroism*, Biochim. Biophys. Acta **1788**, 2238 (2009)
- [E1.2:47] ‡ M. Salwiczek, P.K. Mykhailiuk, S. Afonin, I.V. Komarov, A.S. Ulrich, and B. Koksch, *Compatibility of the conformationally rigid CF₃-Bpg side chain with the hydrophobic coiled-coil interface*, Amino Acids **39**, 1589 (2010)
- [E1.2:48] * M. Hartmann, M. Berditsch, J. Hawecker, M.F. Ardakani, D. Gerthsen, and A.S. Ulrich, *Damage of the bacterial cell envelope by antimicrobial peptides gramicidin S and PGLa as revealed by TEM and SEM*, Antimicrob. Agents Chemother. **54**, 3132 (2010)
- [E1.2:49] ‡ K. Hilpert, B. McLeod, J. Yu, M.R. Elliott, M. Rautenbach, S. Ruden, J. Bürck, C. Muhle-Goll, A.S. Ulrich, S. Keller, and R.E.W. Hancock, *Short cationic antimicrobial peptides interact with ATP*, Antimicrob. Agents Chemother. **54**, 4480 (2010)
- [E1.2:50] D. Windisch, S. Hoffmann, S. Afonin, S. Vollmer, S. Benamira, B. Langer, J. Bürck, C. Muhle-Goll, and A.S. Ulrich, *Structural role of the conserved cysteines in the dimerization of the viral transmembrane oncprotein E5*, Biophys. J. **99**, 1764 (2010)
- [E1.2:51] * T.H. Walther, S.L. Grage, N. Roth, and A.S. Ulrich, *Membrane alignment of the pore-forming component TatA(d) of the twin-arginine translocase from *Bacillus subtilis* resolved by solid-state NMR spectroscopy*, J. Am. Chem. Soc. **132**, 15945 (2010)
- [E1.2:52] * K. Eggenberger, C. Mink, P. Wadhwanı, A.S. Ulrich, and P. Nick, *Using the peptide BP100 as a cell-penetrating tool for the chemical engineering of actin filaments within living plant cells*, ChemBioChem **12**, 132 (2011)
- [E1.2:53] ‡ B. Zienicke, L.-Y. Chen, H. Khawn, M.A.S. Hammam, H. Kinoshita, J. Reichert, A.S. Ulrich, K. Inomata, and T. Lamarter, *Fluorescence of phytochrome adducts with synthetic locked chromophores*, J. Biol. Chem. **286**, 1103 (2011)
- [E1.2:54] ‡ O. Toke, Z. Bánóczi, P. Király, R. Heinzmann, J. Bürck, A.S. Ulrich, and F. Hudecz, *A kinked antimicrobial peptide from *Bombina maxima*. I. Three-dimensional structure determined by NMR in membrane-mimicking environments*, Eur. Biophys. J. **40**, 447 (2011)
- [E1.2:55] ‡ R. Heinzmann, S.L. Grage, C. Schalck, J. Bürck, Z. Bánóczi, O. Toke, and A.S. Ulrich, *A kinked antimicrobial peptide from *Bombina maxima*. II. Behavior in phospholipid bilayers*, Eur. Biophys. J. **40**, 463 (2011)
- [E1.2:56] ‡ V.S. Kubyshkin I.V. Komarov, S. Afonin, P.K. Mykhailiuk, S.L. Grage, and A.S. Ulrich, *Trifluoromethyl-substituted α-amino acids as solid state ¹⁹F-NMR labels for structural studies of membrane-bound peptides*, In “Fluorine in Pharmaceutical and Medicinal Chemistry (Eds. V. Gouverneur, K. Müller), ICP, in press (2011)
- [E1.2:57] *‡ S.L. Grage, A.M. Keleshian, T. Turdzeladze, A.R. Battle, W.C. Tay, R.P. May, S.A. Holt, S.A. Contera, M. Haertlein, M. Moulin, P. Pal, P.R. Rohde, V.T. Forsyth, A. Watts, K.C. Huang, A.S. Ulrich, and B. Martinac, *Bilayer-mediated clustering and functional interaction of MscL channels*, Biophys. J. **100**, 1252 (2011)

- [E1.2:58] D. Grasnick, U. Sternberg, E. Strandberg, P. Wadhwani, and A.S. Ulrich, *Irregular structure of the HIV fusion peptide in membranes demonstrated by solid-state NMR and MD simulations*, Eur. Biophys. J. **40**, 529 (2011)
- [E1.2:59] ‡ W.P.R. Verdurmen, P. Bovee-Geurts, P. Wadhwani, A.S. Ulrich, M. Hällbrink, T.H. Van Kuppevelt, and R. Brock *Preferential uptake of L- versus D-amino acid cell-penetrating peptides in a cell type-dependent manner*, Chemistry and Biology **18**, 1000 (2011)
- [E1.2:60] * ‡ O. Plietzsch, C.I. Schilling, T. Grab, S.L. Grage, A.S. Ulrich, A. Comotti, P. Sozzani, T. Müller, and S. Bräse, *Click chemistry produces hyper-cross-linked polymers with tetrahedral cores*, New J. Chem. **35**, 1577 (2011)
- [E1.2:61] * S. Indris, M. Scheuermann, S.M. Becker, V. Šepelák, R. Kruk, J. Suffner, F. Gyger, C. Feldmann, A.S. Ulrich, and H. Hahn, *Local structural disorder and relaxation in SnO₂ nanostructures studied by ¹¹⁹Sn MAS NMR and ¹¹⁹Sn Mössbauer spectroscopy*, J. Phys. Chem. C **115**, 6433 (2011)
- [E1.2:62] G. Kummerlöwe S.L. Grage, C.M. Thiele, I. Kuprov, A.S. Ulrich, and B. Luy, *Variable angle NMR spectroscopy and its application to the measurement of residual chemical shift anisotropy*, J. Magn. Res. **209**, 19 (2011)
- [E1.2:63] K. Koch, S. Afonin, M. Ieronimo, M. Berditsch, and A.S. Ulrich, *Solid-state ¹⁹F-NMR of peptides in native membranes*, Topics Curr. Chem. **306**, 89 (2012)
- [E1.2:64] * S.M. Becker, M. Scheuermann, V. Šepelák, A. Eichhöfer, D. Chen, R. Mönig, A.S. Ulrich, H. Hahn, and S. Indris, *Electrochemical insertion of lithium in mechanochemically synthesized Zn₂SnO₄*, Phys. Chem. Chem. Phys. **13**, 19624 (2011)